Kind Regards,
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Friday 28 September 2018 11:24 To:
.ti All,
Attached you can find the current migration status for the HL7 ORM migration. The migration is estimated to take another 10 hours to complete the HL7 ORM part. (After this the HL7 ORU and DICOM migration will be started)
(Health) Thx, I now have all the files on the AMT server.
Kind Regards,
http://www.agfahealthcare.com http://blog.agfahealthcare.com
O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels
Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Thursday 27 September 2018 4:17 To:
Thanks for the migration status.
The series file has also been compressed as requested.
Regards,


Mobile : Email: act.gov.au
From: [mailto] Sent: Wednesday, 26 September 2018 7:00 PM To:
Hi All,
The migration is running again after the updates to the paths. The remaining time for the HL7 ORM migration is currently estimated to take another 2,5 days to complete. Attached you can find the current migration status.
I'm still stuck on the last file that I need, PACS_Series.txt. Can you zip that one also ? For some reason I can't most of the .txt files The zip files copied very fast.
1 P:\Files for AGFA\ 5.4% Older 549.0 m PACS_Series.txt 2018/09/26 18:58:10 ERROR 64 (0x00000040) Copying File P:\Files for AGFA\PACS_Series.txt The specified network name is no longer available. Waiting 30 seconds Retrying 0.9% Older 549.0 m PACS_Series.txt
Kind Regards,
http://www.agfahealthcare.com http://blog.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From:
Hilliand Thank you for the update.
I have now compressed all the Image files that were 2GB or more in size. Let me know if you still have any issues. Regarding the attachments with an extra space in the filename, please remove the space and retry.
Thanks,

Mobile :	Email: act.gov.au
To: Cc: <dev.ars subject:<="" th=""><th> mailto esday, 25 September 2018 6:53 PM </th></dev.ars>	mailto esday, 25 September 2018 6:53 PM
Hi All,	
HL7 migi	ration
(All needed data is now ready on the AMT server and the HL7 ORM migration was started. Once it has been running for a while, I will be able to provide some better stats, but currently I can say we are sending +/- 10 HL7 messages per second. That would be 3 to 4 days to complete the HL7 ORM migration.
0	Some attachments already failed, but I believe it simply is an extra space in the filename (after VPROT). (Health) Can you confirm that I can just remove the space and retry these ORM's ? I have +/- 26.000 of these VPROT in the attachment extract, VTECH seems to have the same issue)
Ā	Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1477089_7060216.pdf cannot be found. Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1497192_7093555.pdf cannot be found. Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1391902_6920855.pdf cannot be found.
DICOM n	migration
í s	can see all needed extracts on the provided share, but I don't seem to be able to copy the + 2GB image' files to the AMT server for import. The copy simply stops after a few seconds. Could someone try and zip these files ? Or can we think of another way to get them on the AMT folder: C:\Users\Administrator\Desktop\DICOM extracts\PROD
Kind Reg	gards,
	NV, w.agfahealthcare.com
R.O.: Sept	testraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 omer Account BE20375104592856 ING Belgium NV, B-1000 Brussels hk to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
To:	onday 24 September 2018 13:11 (Health) < act.gov.au>;

[SEC=UNCLASSIFIED]
Thx
I'll start working on the import/validation of these files. Focus first on the HL7.
@ Can I start the ORM/ORU migration towards EI ? Are is there anything on interface level that we need to way for ?
Kind Regards,
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels
Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From:
All files are now available at the share location: // Files for AGFA – This folder has all the HL7 and DICOM extract files. The Image file has been split into smaller yearly files from 2007 to 2018 // RIS/attachments – This folder has all the attachments (Scan, idols and sag)
Also provided are some excel sheets with Patient merge DICOM header update details and PACS Exception details.
Thanks,
Mobile : Email: act.gov.au
From: [mailto:] Sent: Monday, 24 September 2018 4:17 PM To: [mailto:] (Health) < [mailto:] (Health) < [mailto:] (Health)
Arsavilli, Dev < Dev. Arsavilli@act.gov.au >; Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]
Thx for the update,

This afternoon I'm in training, so it is possible that I have to pick this up tomorrow morning.

Kind Regards,



In regards to the below table, we are waiting on confirmation that the Archived ADT messages were all processed successfully, and that the live feeds from ACTPAS and EDIS are now being processed. We have not yet received any details on that task, including final processing statistics. Could you please follow up on that for us.

Additionally, we will not be able to deliver the RIS and PACS migration files today as scheduled, since Siemens have had problems processing the data at their end. We are expecting now that the earliest possible date for delivery from ACT Health to Agfa will be this Friday 21 September, though it is more likely to be Cob on Monday 24 Sept.

I have updated some of the table dates below to reflect actuals and adjusted expected dates.

Regards



Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au

Sent: Fri To: Cc: <imathref{michae} <imathref{michae}="" hi<="" subject:="" th=""><th>rsavilli, Dev iday, 31 August 2018 11:08 AM (Health) < act.gov.au>; McKenzie, Theresa (Health) < act.gov.au> RE: ACTPAS/ EDIS configuration into production es, I thought I sent this out after the meeting but</th><th>to start for the data m</th><th>nigration for IDIS</th><th></th></imathref{michae}>	rsavilli, Dev iday, 31 August 2018 11:08 AM (Health) < act.gov.au>; McKenzie, Theresa (Health) < act.gov.au> RE: ACTPAS/ EDIS configuration into production es, I thought I sent this out after the meeting but	to start for the data m	nigration for IDIS	
19 50 95				
#	te to the events as discussed in the meeting 29/0 Task		Process and the same of the sa	<u> </u>
1	Archiving of ACTPAS messages	Start Date 29/08/2018	End Date	Resource Michael
2	PMI Data Extraction	29/08/2018	31/09/2018	Iviichaei
3	Start ACTPAS interface in IDISP Pre-prod	to fill-in	31/09/2018	Agfa
4	Agfa Patient Load	04/09/2018	09/09/2018	Agfa
5	Re-play the archived ACTPAS messages	11/09/2018	14/09/2018??	Michael, Agfa
6	Start ACTPAS interface - ACTH	13/09/2018	14/03/201611	Michael, Agfa
7	Agfa 20% RIS load	24/09/2018	28/09/2018	Agfa,
8	Image Migration of (first two years)	29/09/2018	19/10/2018	Agfa
9	Agfa 80% RIS load	29/09/2018	19/10/2018	
10	Image Migration of the rest	20/10/2018	19/10/2018	Agfa Agfa
	odate task 3 and the following dates will depend late the rest in line with the schedule and will dis ards,		eet.	
Phone: 02 Future Cap 2-6 Bowes From: Sent: We To: Cowle	Ili Project Manager 6174 8729 Mobile Email: Dev.Arsavilli@act. 618	n Health Directorate act.gov.au		
Subject:	RE: ACTPAS/ EDIS configuration into production t	to start for the data m	igration for IDIS [SEC=UNCLASSIFIED

I have added and to this communication.

Kind Regards,



Out of office alert: Friday 10th August Wednesday 15th August 24th September to 5th October inclusive 5th to 7th November inclusive

http://www.agfahealthcare.com http://blog.agfahealthcare.com

From: Cowey, Michael [mailto:Michael.Cowey@act.gov.au] Sent: Wednesday, 29 August 2018 10:39 AM

To: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >

(Health) < (Health) < act.gov.au>;

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi Dev.

The archiving is a standard process that has been in place for years so no issue there. I think you need to swap 4 and 5 over, we need to replay the archived messages first, then connect up the live ACTPAS interface.

Cheers, Michael

From: Arsavilli, Dev

Sent: Wednesday, 29 August 2018 10:34 AM

To: Cowey, Michael < Michael. Cowey@act.gov.au>

(Health) < act.gov.au>;

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi Michael,

We are ready to start the PMI data extract today.

is the achieving is in place are does it require be manually started?

The events as per the current schedule:

#	Task	Start Date	End Date
1	Achieving of ACTPAS messages	29/08/2018	
2	PMI Data Extraction	29/08/2018	31/09/2018
3	Agfa Patient Load	03/09/2018	07/09/2018
4	Start ACTPAS interface in Pre-prod	10/09/2018	
5	Re-play the archived ACTPAS messages	10/09/2018	
6	Agfa 20% RIS load	17/09/2018	21/09/2018
7	Image Migration of (first two years)	22/09/2018	12/10/2018
8	Agfa 80% RIS load	22/09/2018	12/10/2018
9	Image Migration of the rest	13/10/2018	

All these activities will be one after the other except for 7 and 8.

could you please confirm that item 5 happening after item 4 would not be an issue?

Kind Regards,

Dev

Dev Arsavilli | Project Manager

Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au

Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government

2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au

From: Cook, Sandra (Health)

Sent: Tuesday, 28 August 2018 2:11 PM

To: Cowey, Michael < <u>Michael.Cowey@act.gov.au</u>> **Cc:** Arsavilli, Dev < <u>Dev.Arsavilli@act.gov.au</u>>

Subject: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS

Hi Michael,

Would you please activate the ACTPAS integration for IDIS into pre-production required for the data migration work? I have reviewed the processes we are proposing and am happy for this to move into pre-production so we can commence data migration.

Really appreciate it!

Kind Regards,

Sandra Cook | Director Future Capability & Governance

Phone: 02 6205 1451 | Mob.

Email: sandra.cook@act.gov.au

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Canberra Hospital, Garran ACT | PO Box 11, Woden ACT 2606 | act.gov.au

This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

Heland, Rebecca (Health) From: Sent: Friday, 5 October 2018 9:00 AM (Health); Arsavilli, Dev (Health); To: Cc: RE: [AUS - ACT] HL7 and DICOM migration status Subject: Please start your DICOM testing when ready. and I will work with you to manage the migration during our work hours so we can complete our fail-over testing while putting minimal impact on the migration. Kind Regards, +61 3 9756 4413 | M Australia Pty Ltd, 15 Dalmore Drv, Scoresby VIC 3179 Australia http://www.agfahealthcare.com http://blog.agfahealthcare.com Out of office alert: 18th February 2019 to 1st March 2019 inclusive From: Sent: Thursday, 4 October 2018 18:20 (Health) < To: act.gov.au>; Arsavilli, Dev <Dev.Arsavilli@act.gov.au> Cc: Subject: [AUS - ACT] HL7 and DICOM migration status Hi All, L7 migration status

The bulk HL7 migration towards EI for the extracts provided by ACT have completed yesterday. All data from the extracts has been validated and migrated successfully. No failures or validation errors have been detected for all migrated patients/orders/attachments and reports.

will continue to work on the migration towards Scheduling based on the same data.

DICOM migration status

I believe the requested AE nodes have been created on the Siemens PACS now. I'll wait for a signal from the customer and the local AGFA team to start the actual DICOM migration.

To be clear, I will first send +/- 100 studies from Siemens towards EI and provide a list so we can all agree that the data (and DICOM header updates) are correct before starting the migration at the normal thread load.

(To test the AE node configuration, the StudyUID was migrated and validated)

Kind Regards,



From:

That looks correct.

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

Sent: Wednesday 3 October 2018 9:12

To: Pearce, Christopher (Health) < Christopher. Pearce@act.gov.au >; Cc: Crossley, Nick < Nick. Crossley@act.gov.au >; Barrett, Scott (Health) < Scott. Barrett@act.gov.au >; <

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

So our specification for every connection that needs to be set up should look like the below? The first row is our current configuration for Production that was previously specified to us.

HOST	IP	PORT	AE Title
actentdicom.act.gov.au	10.24.1.10	104	ACTIDIS
actentdicom.act.gov.au	10.24.1.10	104	ACTIDIS_MIG
actentdicom.act.gov.au	10.24.1.10	104	ACTIDIS PRIORS

Thanks
Phone: 02 6174 8768 Mobile: Email: Email:
From: Pearce, Christopher (Health) Sent: Wednesday, 3 October 2018 4:59 PM To: (Health) < Cc: Crossley, Nick < Nick. Crossley@act.gov.au>; Barrett, Scott (Health) < Scott. Barrett@act.gov.au>; Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Can we please have the following for these new AET's:
 Hostname/logical name for each. IP Addresses
Port I assume is 104
Chris
Chris Pearce PACS Administrator Direct Phone: 02 61747961 Direct Email: Christopher.Pearce@act.gov.au Diagnostic Imaging Systems Diagnostic & Medication Systems Hub Phone: 02 6174 8750 Email: DSD.DIS@act.gov.au Technology Operations Branch Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT GPO Box 825, Canberra City ACT 2601 act.gov.au
From: [mailto: Sent: Wednesday, 3 October 2018 4:21 PM To: [Health] < [Health] < Cc: Crossley, Nick < Nick. Crossley@act.gov.au >; Barrett, Scott (Health) < Scott.Barrett@act.gov.au >; Pearce, hristopher (Health) < Christopher.Pearce@act.gov.au >; Subject: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Hi
For the DICOM migration we indeed need the ACTIDIS_MIG and ACTIDIS_PRIORS to be created in the Siemens PACS also. This will make sure that the migration traffic is split from other data.
The IP, port, are all the same.
Kind Regards,
T I
http://www.agfahealthcare.com http://blog.agfahealthcare.com

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From: (Health) [mailto

<

Sent: Wednesday 3 October 2018 2:23

Cc: Crossley, Nick < Nick.Crossley@act.gov.au >; Barrett, Scott (Health) < Scott.Barrett@act.gov.au >; Pearce,

Christopher (Health) < Christopher.Pearce@act.gov.au>

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

From the below we were due to create two Production AE Titles. From your email, do you need us to also create ACTIDIS_MIG and ACTIDIS_PRIORS, and will they both have the same IP and port?

Thanks

Phone: 02 6174 8768 | Mobile:

| Email:

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au

From: Pearce, Christopher (Health)

Sent: Wednesday, 3 October 2018 9:59 AM

To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au>

Cc: Crossley, Nick < Nick.Crossley@act.gov.au>

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

Hi

We only have the following setup configured as this is all that has been requested to date:

· · · · · · · · · · · · · · · · · · ·			1	
Development	eidc1devcs.act.gov.au	10.24.2.66 104	EIDEV	All DICOM

The Agfa DICOM Modality setup document specifies the following environments locally:

Environment	Hostname	IP address & Port	AE title	Function
Production	actentdicom.act.gov.au	10.24.1.10 104	ACTIDIS	All DICOM
Production	As above	As above	ACTIDIS_DMWL	Optional DMWL
Testing	eidc1tstcs.act.gov.au	10.24.2.46 104	EITEST	All DICOM
Testing	As above	As above	EITEST_DMWL	Optional DMWL
Training	eidc1tmcs.act.gov.au	10.24.2.56 104	EITRAIN	All DICOM
Training	As above	As above	EITRAIN_DMWL	Optional DMWL
Development	eidc1devcs.act.gov.au	10.24.2.66 104	EIDEV	All DICOM
Development	As above	As above	EIDEV_DMWL	Optional DMWL

Please advise which environment is to be used for Pre-prod and I can make the required entries in the Siemens PACS.

Regards,

Chris

Chris Pearce | PACS Administrator

Direct Phone: 02 61747961 | Direct Email: Christopher.Pearce@act.gov.au

Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au

Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

From: (Health)

Sent: Wednesday, 3 October 2018 9:19 AM

To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au>

Cc: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au >; Crossley, Nick < Nick.Crossley@act.gov.au >

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

It could be that we only know about the Prod PACS address? What has below for ACTIDIS_MIG is different to the production PACS address:

Paramete	er Value
HOST	actentdicom.act.gov.au
AE Title	EIPROD
IP	10.24.2.101
PORT	104

Do we need to somewhere specify 10.24.1.10?

Phone: 02 6174 8768 | Mobile:

I Email:

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au

From: Barrett, Scott (Health)

Sent: Wednesday, 3 October 2018 9:01 AM

To: (Health) <

Cc: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au >; Crossley, Nick < Nick.Crossley@act.gov.au >

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

Hi

Nothings changed on our side so all the details should still be valid. I'm not sure that my team were too heavily involved in establishing the Test connection, outside of providing AE titles, ports, IP addresses

Chris/ was there any setup that occurred when establishing the connection to Test that needs to be replicated for pre prod?

Thanks

Scott

Scott Barrett | Manager

Direct Phone: 02 6174 8039 | Direct Email: scott.barrett@act.gov.au

Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au

Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

From: (Health)

Sent: Wednesday, 3 October 2018 8:10 AM

To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au>

Subject: FW: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

Scott,

Is there anything your team needs to do so Agfa can access the Siemens PACS from pre-Prod? It all worked for the Test environment but I don't know what might have been done to set that up.

Phone: 02 6174 8768 | Mobile: Email: Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au

From: [mailto]

Sent: Tuesday, 2 October 2018 11:42 PM

To: [Mealth] < [Health] < Arsavilli, Dev < Dev.Arsavilli@act.gov.au>;

Subject: [AUS - ACT] HL7 and DICOM migration status / questions

Hi All,

HL7 migration

The remaining reports should be completed in \pm 1,5 hours.

DICOM migration

Validation / DICOM updates

Today I managed to execute the full validation and prepare all the needed DICOM header updates. The **data is now ready** to start the DICOM migration towards EI.

I do have a small amount of studies that didn't pass our validation and no updates are provided in the 'update excel files'. For these +/- 450 studies I will provide the details as soon as possible.

Migration startup / Connection testing

I tried to send some studies to the production system, but get a DICOM ERROR C001 on all the tests (some randomly selected StudyUIDs below). Can someone have a look in the Siemens PACS if the AE Title(s) of EI have been created and the permissions are OK for the C-MOVE operations?

(I would advise to create ACTIDIS_MIG and ACTIDIIS_PRIORS)

AMT Ho	ost —			
Calling	AE: AMT			
Root Le	evel: Study 🔻			
Source	Archive -			
☐ File	system			
Hostna	me: 147.212.12	8.97		
Port:	2002]		
AE Title	: PACSSDM		Echo	
r Destina	ntion Archive —			7
Hostna)		
Port:	104			
AE Title	actidis_	MIG	Echo	
Service distribution	xMedGate		,	
	uweddate]
1.3.12.2.	.1107.5.8.7.1308.1312	2515232755.779978810	c001	Test to _MIG
		251133.2014102309063		Test to _MIG
		9028517985.939521561 .563199.2016012209103		Test to _MIG Test to _PRIORS
Kind Regards,				
Mila Negaras,				
½				
NV, http://www.agfahealthcare.co 'tp://blog.agfahealthcare.co				
R.O.: Septestraat 27, B-2640 IBAN Customer Account BE20	Mortsel, Belgium RLE F	Antwerp VAT BE 0403.003.	524 IBAN Operational	Account BE81363012356224
Click on link to read importan			sclaimer	
From:	2040 0 20			
Sent: Monday 1 October To: (He	2018 8:30 ealth) <	act.gov.au>;	<	
Cc:	suitiff -	(Healt	h) <	Arsavilli, Dev
<pre><dev.arsavilli@act.gov.a< pre=""></dev.arsavilli@act.gov.a<></pre>	<u>u</u> >;		<	COLD FOUND 100 1

Hi All,

Attached you can find the current HL7 migration status. As you can see the HL7 ORU migration is almost at 80%.

Subject: [AUS - ACT] HL7 migration status

Today I'll be working on the DICOM verification (DICOM vs HL7) and hopefully start the DICOM migration for studies that don't need any DICOM header updates. (Starting with data from 2018)

Kind Regards, http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer From: Sent: Friday 28 September 2018 14:23 (Health) < act.gov.au>; Arsavilli, Dev <Dev.Arsavilli@act.gov.au>; Subject: [AUS - ACT] HL7 migration status FYI, The HL7 ORM migration was completed a few moment ago. I can't get the DICOM migration started today (and I don't want to on a Friday evening), so I did start the HL7 ORU migration with a high amount of threads to get this going over the weekend. Kind Regards, http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer Sent: Friday 28 September 2018 11:24 To: Cc: (Health) < Arsavilli, Dev <Dev.Arsavilli@act.gov.au>; Subject: [AUS - ACT] HL7 migration status Hi All, Attached you can find the current migration status for the HL7 ORM migration. The migration is estimated to take another 10 hours to complete the HL7 ORM part. (After this the HL7 ORU and DICOM migration will be started)

(Health)

Thx, I now have all the files on the AMT server.

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer


Subject: RE: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi

Thanks for the migration status.

The series file has also been compressed as requested.

Regards,



Hi All,

The migration is running again after the updates to the paths.

The remaining time for the HL7 ORM migration is currently estimated to take another 2,5 days to complete. Attached you can find the current migration status.

I'm still stuck on the last file that I need, PACS_Series.txt.

Can you zip that one also ? For some reason I can't most of the .txt files ...

The zip files copied very fast.

```
1 P:\Files for AGFA\
5.4% Older 549.0 m PACS_Series.txt
2018/09/26 18:58:10 ERROR 64 (0x00000040) Copying File P:\Files for AGFA\PACS_Series.txt
The specified network name is no longer available.
Waiting 30 seconds... Retrying...
0.9% Older 549.0 m PACS_Series.txt
```

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

Subject: RE: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi

Thank you for the update.

I have now compressed all the Image files that were 2GB or more in size. Let me know if you still have any issues. Regarding the attachments with an extra space in the filename, please remove the space and retry.

Thanks,

Touris Hills		mak (A) on glokijommovatova i or			
Mobile :	Email:	act.gov.au	•		
From:	[mailto				
Sent: Tueso	day, 25 September 20	18 6:53 PM			
To:	(Health) <		act.gov.au>;	<	
Cc:	<		(Health) <		Arsavilli, Dev
<dev.arsav< td=""><td>villi@act.gov.au>;</td><td><</td><td></td><td><</td><td>400 A 14 F - 14 F - 14</td></dev.arsav<>	villi@act.gov.au>;	<		<	400 A 14 F - 14 F - 14
Subject: [A	US - ACT] ACTPAS/ ED	OIS configuration in	to production to start fo	or the data migra	ation for IDIS
[SEC=UNCL	ASSIFIED]				
					1

Hi All,

HL7 migration

All needed data is now ready on the AMT server and the HL7 ORM migration was started. Once it has been running for a while, I will be able to provide some better stats, but currently I can say we are sending +/- 10 HL7 messages per second. That would be 3 to 4 days to complete the HL7 ORM migration.

Some attachments already failed, but I believe it simply is an extra space in the filename (after VPROT). (Health) Can you confirm that I can just remove the space and retry these ORM's ? (I have +/- 26.000 of these VPROT in the attachment extract, VTECH seems to have the same issue)

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1477089_7060216.pdf cannot be found.

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1497192_7093555.pdf cannot be found.

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1391902_6920855.pdf cannot be found.

DICOM migration

I can see all needed extracts on the provided share, but I don't seem to be able to copy the + 2GB 'image' files to the AMT server for import. The copy simply stops after a few seconds. Could someone try and zip these files ? Or can we think of another way to get them on the AMT folder: C:\Users\Administrator\Desktop\DICOM extracts\PROD

Kind Regards,
T T
NV, http://www.agfahealthcare.com http://bloq.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 '3AN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: Sent: Monday 24 September 2018 13:11 To: (Health) < act.gov.au>;
Cc:
Thx
I'll start working on the import/validation of these files. Focus first on the HL7.
Can I start the ORM/ORU migration towards EI ? Are is there anything on interface level that we need to way for ?
Kind Regards,
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: (Health) [mailto act.gov.au] Sent: Monday 24 September 2018 10:51
To: Cc:

All files are now available at the share location: // Files for AGFA - This folder has all the HL7 and DICOM extract files. The Image file has been split into smaller yearly files from 2007 to 2018 // RIS/attachments – This folder has all the attachments (Scan, idocs and zSeg) Also provided are some excel sheets with Patient merge DICOM header update details and PACS Exception details. Thanks, [mailto Sent: Monday, 24 September 2018 4:17 PM (Health) < act.gov.au> Arsavilli, Dev <Dev.Arsavilli@act.gov.au>; Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED] Thx for the update, This afternoon I'm in training, so it is possible that I have to pick this up tomorrow morning. Kind Regards, http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer (Health) [mailto Sent: Monday 24 September 2018 7:01 (Health) Pederick@act.gov.au>; Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED] Hi In regards to the HL7 and DICOM extracts to be delivered today, they are still being worked on. I am going through my final steps of verifying the data and exporting it to files. I should be done in a few more hours. I will keep you informed. I will let you know when all the files are available. Thanks,

Mobile :	Email:	act.gov.au					201
From:	(Health)						
Sent: Monday	, 17 September	2018 1:57 PM					
To: Arsavilli, E	Dev < <u>Dev.Arsavill</u>	i@act.gov.au>;		<		5	
Cc:	<			(H	ealth) <		act.gov.au>;
<			<		McKen	zie, Theres	a (Health)
<theresa.mck< td=""><td>Kenzie@act.gov.a</td><td>u>; Cowey, Mich</td><td>ael < Micha</td><td>ael.Cowey@</td><td>act.gov.au></td><td></td><td></td></theresa.mck<>	Kenzie@act.gov.a	u>; Cowey, Mich	ael < Micha	ael.Cowey@	act.gov.au>		
Subject: RE: A	CTPAS/ EDIS cor	figuration into pr	roduction t	o start for t	he data migra	tion for IDI	S [SEC=UNCLASSIFIED]

In regards to the below table, we are waiting on confirmation that the Archived ADT messages were all processed successfully, and that the live feeds from ACTPAS and EDIS are now being processed. We have not yet received any details on that task, including final processing statistics. Could you please follow up on that for us.

Additionally, we will not be able to deliver the RIS and PACS migration files today as scheduled, since Siemens have had problems processing the data at their end. We are expecting now that the earliest possible date for delivery from ACT Health to Agfa will be this Friday 21 September, though it is more likely to be CoB on Monday 24 Sept.

I have updated some of the table dates below to reflect actuals and adjusted expected dates.

Regards

صححا حدد	
Phone: 02 6174 8768 Mobile:	Email:
Future Capability & Governance	Digital Solutions Division Health Directorate ACT Governmen
Level 10, Building 1, TCH, Garran	ACT PO Box 11, Woden ACT 2606 www.act.gov.au

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi

Apologies, I thought I sent this out after the meeting but realised that I did not sent it out.

My update to the events as discussed in the meeting 29/08/2018 4:30 – 5:10pm:

#	Task	Start Date	End Date	Resource
1	Archiving of ACTPAS messages	29/08/2018		Michael
2	PMI Data Extraction	29/08/2018	31/09/2018	
3	Start ACTPAS interface in IDISP Pre-prod	to fill-in		Agfa
4	Agfa Patient Load	04/09/2018	09/09/2018	Agfa
5	Re-play the archived ACTPAS messages	11/09/2018	14/09/2018??	Michael, Agfa
6	Start ACTPAS interface - ACTH	13/09/2018		Michael, Agfa
7	Agfa 20% RIS load	24/09/2018	28/09/2018	Agfa,
8	Image Migration of (first two years)	29/09/2018	19/10/2018	Agfa
9	Agfa 80% RIS load	29/09/2018	19/10/2018	Agfa
10	Image Migration of the rest	20/10/2018		Agfa

Please update task 3 and the following dates will depend on that. I will update the rest in line with the schedule and will distribute another Runsheet. Kind Regards, Dev Dev Arsavilli | Project Manager Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government 2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au From: [mailto Sent: Wednesday, 29 August 2018 10:54 AM To: Cowey, Michael < Michael.Cowey@act.gov.au>; Arsavilli, Dev < Dev.Arsavilli@act.gov.au> (Health) < (Health) < act.gov.au>; Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED] Hi Dev. I have added to this communication. Kind Regards, Out of office alert: Friday 10th August Wednesday 15th August 24th September to 5th October inclusive 5th to 7th November inclusive http://www.agfahealthcare.com http://blog.agfahealthcare.com From: Cowey, Michael [mailto:Michael.Cowey@act.gov.au] Sent: Wednesday, 29 August 2018 10:39 AM To: Arsavilli, Dev <Dev.Arsavilli@act.gov.au> (Health) < act.gov.au>; Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED] Hi Dev, The archiving is a standard process that has been in place for years so no issue there. I think you need to swap 4 and 5 over, we need to replay the archived messages first, then connect up the live ACTPAS interface. Cheers, Michael From: Arsavilli, Dev Sent: Wednesday, 29 August 2018 10:34 AM To: Cowey, Michael < Michael.Cowey@act.gov.au> (Health) <

< case = case =

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi Michael,

We are ready to start the PMI data extract today. Is the achieving is in place are does it require be manually started?

The events as per the current schedule:

#	Task	Start Date	End Date
1	Achieving of ACTPAS messages	29/08/2018	
2	PMI Data Extraction	29/08/2018	31/09/2018
3	Agfa Patient Load	03/09/2018	07/09/2018
4	Start ACTPAS interface in Pre-prod	10/09/2018	The second secon
5	Re-play the archived ACTPAS messages	10/09/2018	+
6	Agfa 20% RIS load	17/09/2018	21/09/2018
7	Image Migration of (first two years)	22/09/2018	12/10/2018
8	Agfa 80% RIS load	22/09/2018	12/10/2018
9	Image Migration of the rest	13/10/2018	

All these activities will be one after the other except for 7 and 8.

NickE, could you please confirm that item 5 happening after item 4 would not be an issue?

Kind Regards,

Dev

Dev Arsavilli | Project Manager

Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au

Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government

2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au

From: Cook, Sandra (Health)

Sent: Tuesday, 28 August 2018 2:11 PM

(o: Cowey, Michael < Michael. Cowey@act.gov.au >

Cc: Arsavilli, Dev <Dev.Arsavilli@act.gov.au>

Subject: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS

Hi Michael,

Would you please activate the ACTPAS integration for IDIS into pre-production required for the data migration work? I have reviewed the processes we are proposing and am happy for this to move into pre-production so we can commence data migration.

Really appreciate it!

Kind Regards,

Sandra Cook | Director Future Capability & Governance

Phone: 02 6205 1451 | Mob.

Email: sandra.cook@act.gov.au

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Canberra Hospital, Garran ACT | PO Box 11, Woden ACT 2606 | act.gov.au

This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

Heland, Rebecca (Health)
From: Sent: To: Subject:	(Health) Thursday, 4 October 2018 1:38 PM Pederick, (Health) RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
about those.	ome validation issues with +/- 450 studies in the PACS extrcat. I havent got any further details my remote access to the test workstation, once I have that sorted I will write to asking
Thanks,	
Sent: Thursday 4 Octo	(Health) ber 2018 13:03 (Health) CT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
that might not be done	ple of other connections in Siemens; but then the RISPACS team got staff availability issues so until tomorrow. However, it turns out that Agfa is doing failover testing so can't have the wants to delay the PACS migration for a couple of days. It's looking like Monday at this rate.
Phone: 02 6174 8768 Mob Future Capability & Governs	ery Manager - UCH Digital Solutions Program ile: Email: Email
	(Health) ber 2018 12:44 PM alth) <
Hi How is the PACS migrat	tion going, have the connection issues been resolved yet?
Thanks,	
Sent: Wednesday 3 Oc To: (Cc:	(Health) ctober 2018 11:24 (Health) CT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
_	
FYI.	

| IDIS Delivery Manager - UCH Digital Solutions Program

Future Capability & Governance Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, TCH, Garran ACT PO Box 11, Woden ACT 2606 www.act.gov.au
From: (Health) Sent: Wednesday, 3 October 2018 10:23 AM To: (Health)
Cc: Crossley, Nick < Nick.Crossley@act.gov.au>; Barrett, Scott (Health) < Scott.Barrett@act.gov.au>; Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au> Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
From the below we were due to create two Production AE Titles. From your email, do you need us to also create ACTIDIS_MIG and ACTIDIS_PRIORS, and will they both have the same IP and port?
Thanks
Phone: 02 6174 8768 Mobile: Email: Email: Future Capability & Governance Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, TCH, Garran ACT PO Box 11, Woden ACT 2606 www.act.gov.au
From: Pearce, Christopher (Health) Sent: Wednesday, 3 October 2018 9:59 AM To: Health) < Health Secott (Health) Barrett, Scott (Health) Scott.Barrett@act.gov.au Cc: Crossley, Nick < Nick.Crossley@act.gov.au Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Hì The Control of the Control of th
We only have the following setup configured as this is all that has been requested to date:
×
The Agfa DICOM Modality setup document specifies the following environments locally:
to to

Phone: 02 6174 8768 | Mobile: | Email:

Please advise which environment is to be used for Pre-prod and I can make the required entries in the Siemens PACS.

R	e	g	a	r	d	S,
٠,	_	\circ	~		•	-,

Chris

Chris Pearce | PACS Administrator

Direct Phone: 02 61747961 | Direct Email: Christopher.Pearce@act.gov.au

Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au

Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

From: (Health)

Sent: Wednesday, 3 October 2018 9:19 AM

To: Barrett, Scott (Health) <Scott.Barrett@act.gov.au>

Cc: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au >; Crossley, Nick < Nick.Crossley@act.gov.au >

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

It could be that we only know about the Prod PACS address? What has below for ACTIDIS_MIG is different to the production PACS address:

Paramete	er Value
HOST	actentdicom.act.gov.au
AE Title	EIPROD
IP	10.24.2.101
PORT	104

Do we need to somewhere specify 10.24.1.10?

Phone: 02 6174 8768 | Mobile: | | Email:

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au

From: Barrett, Scott (Health)

Sent: Wednesday, 3 October 2018 9:01 AM

To: (Health) <

Cc: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au >; Crossley, Nick < Nick.Crossley@act.gov.au >

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

Hi

Nothings changed on our side so all the details should still be valid. I'm not sure that my team were too heavily involved in establishing the Test connection, outside of providing AE titles, ports, IP addresses

Chris/ was there any setup that occurred when establishing the connection to Test that needs to be replicated for pre prod?

Thanks

Scott

Scott Barrett | Manager

Direct Phone: 02 6174 8039 | Direct Email: scott.barrett@act.gov.au

Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au

Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

From: (Health)

Sent: Wednesday, 3 October 2018 8:10 AM

To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au>

Subject: FW: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

Scott,

Is there anything your team needs to do so Agfa can access the Siemens PACS from pre-Prod? It all worked for the Test environment but I don't know what might have been done to set that up.

From:	[mailto				
Sent: Tuesday,	2 October 2018 11:42 PM				
To:	(Health) <	act.go	ov.au>;	<	
Cc:	<		(Health) <		Arsavilli, Dev
<dev.arsavilli@< td=""><td>act.gov.au>;</td><td><</td><td>ا کی سام</td><td><</td><td>- And - And</td></dev.arsavilli@<>	act.gov.au>;	<	ا کی سام	<	- And
C II . TALIC	ACTIVIT IDICOLA :		6.2		

Subject: [AUS - ACT] HL7 and DICOM migration status / questions

Hi All,

HL7 migration

The remaining reports should be completed in \pm 1,5 hours.

DICOM migration

Validation / DICOM updates


Today I managed to execute the full validation and prepare all the needed DICOM header updates. The **data is now ready** to start the DICOM migration towards EI.

I do have a small amount of studies that didn't pass our validation and no updates are provided in the 'update excel files'. For these +/- 450 studies I will provide the details as soon as possible.

Migration startup / Connection testing

I tried to send some studies to the production system, but get a DICOM ERROR C001 on all the tests (some randomly selected StudyUIDs below). Can someone have a look in the Siemens PACS if the AE Title(s) of EI have been created and the permissions are OK for the C-MOVE operations?

(I would advise to create ACTIDIS_MIG and ACTIDIS_PRIORS)



Hi All,

From:

To:

Attached you can find the current HL7 migration status. As you can see the HL7 ORU migration is almost at 80%.

Today I'll be working on the DICOM verification (DICOM vs HL7) and hopefully start the DICOM migration for studies that don't need any DICOM header updates. (Starting with data from 2018)

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From:		
Sent: Friday 28 September 2018 14:23		
To: (Health) <	act.gov.au>;	
Cc: < <u>nick.</u>	(Health) <	Arsavilli, Dev
< <u>Dev.Arsavilli@act.gov.au</u> >;	■ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	M.
Subject: [AUS - ACT] HL7 migration status		

FYI,

The HL7 ORM migration was completed a few moment ago.

I can't get the DICOM migration started today (and I don't want to on a Friday evening), so I did start the HL7 ORU migration with a high amount of threads to get this going over the weekend.

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

Hi All,

Attached you can find the current migration status for the HL7 ORM migration. The migration is estimated to take another 10 hours to complete the HL7 ORM part. (After this the HL7 ORU and DICOM migration will be started)

@ (Health)

Thx, I now have all the files on the AMT server.

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From:	(Health) [mailto	act.gov.au]	
Sent: Thursday 27 Sept			
To:		<	
Cc:		(Health) <	Arsavilli, Dev
<dev.arsavilli@act.gov< td=""><td><u>.au</u>>;</td><td></td><td></td></dev.arsavilli@act.gov<>	<u>.au</u> >;		


Subject: RE: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

di

Thanks for the migration status.

The series file has also been compressed as requested.

Regards,



Hi All,

The migration is running again after the updates to the paths.

The remaining time for the HL7 ORM migration is currently estimated to take another 2,5 days to complete. Attached you can find the current migration status.

I'm still stuck on the last file that I need, PACS_Series.txt.

Can you zip that one also ? For some reason I can't most of the .txt files ...

The zip files copied very fast.

×	

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From:	(Health) [mailto		act.gov.au]	
Sent: Wedneso	day 26 September 2018 5:13	210		
To:	<		<	
Cc:	<		(Health) <	Arsavilli, Dev
< <u>Dev.Arsavilli@</u>	@act.gov.au>;			
그의 그 나는 것이 없는 것이 없는데 없었다.	12 이 12 km - 12 10 20 10 12 10 12 12 12 12 12 12 12 12 12 12 12 12 12		2. The State of the Control (1994)	

Subject: RE: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi

Thank you for the update.

I have now compressed all the Image files that were 2GB or more in size. Let me know if you still have any issues. Regarding the attachments with an extra space in the filename, please remove the space and retry.

Thanks,

Mobile :	Email:	act.gov.au		, i			
From:	[mailto	J. 1981.					
	day, 25 September 20	18 6:53 PM	A TANANS				
To:	(Health) <		act.gov.au>;		<		
Cc:	<			(Health) <			Arsavilli, Dev
< <u>Dev.Arsav</u>	illi@act.gov.au>;	<			<		
Subject: [A [SEC=UNCL	US - ACT] ACTPAS/ ED ASSIFIED]	IS configuration i	nto productio	n to start for t	he data migrat	ion for IDI	S

Hi All,

HL7 migration

All needed data is now ready on the AMT server and the HL7 ORM migration was started. Once it has been running for a while, I will be able to provide some better stats, but currently I can say we are sending +/- 10 HL7 messages per second. That would be 3 to 4 days to complete the HL7 ORM migration.

Some attachments already failed, but I believe it simply is an extra space in the filename (after VPROT).

(Health) Can you confirm that I can just remove the space and retry these ORM's?

(I have +/- 26.000 of these VPROT in the attachment extract, VTECH seems to have the same issue)

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1477089_7060216.pdf cannot be found.

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1497192_7093555.pdf cannot be found.

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT 1391902 6920855.pdf cannot be found.

DICOM migration

I can see all needed extracts on the provided share, but I don't seem to be able to copy the + 2GB 'image' files to the AMT server for import. The copy simply stops after a few seconds. Could someone try and zip these files ? Or can we think of another way to get them on the AMT folder: C:\Users\Administrator\Desktop\DICOM extracts\PROD

Kind Regards, http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | *BAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer Sent: Monday 24 September 2018 13:11 (Health) < act.gov.au>; (Health) < Arsavilli, Dev <Dev.Arsavilli@act.gov.au>; Subject: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED] Thx I'll start working on the import/validation of these files. Focus first on the HL7. Can I start the ORM/ORU migration towards EI? Are is there anything on interface level that we need to way for ? Kind Regards, http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer (Health) [mailto act.gov.au] Sent: Monday 24 September 2018 10:51 Cc:

Arsavilli, Dev <Dev.Arsavilli@act.gov.au>;

Hi

All files are now available at the share location:

// Files for AGFA – This folder has all the HL7 and DICOM extract files. The Image file has been split into smaller yearly files from 2007 to 2018

// RIS/attachments – This folder has all the attachments (Scan, idocs and zSeg)

Also provided are some excel sheets with Patient merge DICOM header update details and PACS Exception details.

				4
7	ГĿ	12	n	Ve.
- 1		Ia	11	KS.



Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Thx for the update,


This afternoon I'm in training, so it is possible that I have to pick this up tomorrow morning.

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer



Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi

In regards to the HL7 and DICOM extracts to be delivered today, they are still being worked on. I am going through my final steps of verifying the data and exporting it to files.

I should be done in a few more hours.

I will keep you informed.

I will let you know when all the files are available.

Thanks,

				251
Mobile :	Email:	act.gov.au		
From:	(Health)			
	ay, 17 September :	and the second s		_
To: Arsavilli,	, Dev < <u>Dev. Arsavill</u>	i@act.gov.au>;	<	k
Cc:	<		(Health) <	act.gov.au>;
<		<		rie, Theresa (Health)
			lichael.Cowey@act.gov.au>	
Subject: RE:	ACTPAS/ EDIS con	figuration into producti	on to start for the data migral	ion for IDIS [SEC=UNCLASSIFIED]
successfully,	, and that the live f	feeds from ACTPAS and		messages were all processed . We have not yet received any on that for us.
had problem	ns processing the d	ata at their end. We are	PACS migration files today as e expecting now that the earli- per, though it is more likely to	
I have updat	ted some of the tal	ole dates below to reflec	ct actuals and adjusted expect	ed dates.
Regards				

Phone: 02 6174 8768 | Mobile: | Email: Pederick@act.gov.au Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au

From: Arsavilli, Dev

Sent: Friday, 31 August 2018 11:08 AM

(Health) < Cc: act.gov.au>; McKenzie, Theresa (Health) < Theresa. McKenzie@act.gov.au >; Cowey, Michael

<Michael.Cowey@act.gov.au>

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi

Apologies, I thought I sent this out after the meeting but realised that I did not sent it out.

My update to the events as discussed in the meeting 29/08/2018 4:30 – 5:10pm:

#	Task	Start Date	End Date	Resource
1	Archiving of ACTPAS messages	29/08/2018		Michael
2	PMI Data Extraction	29/08/2018	31/09/2018	
3	Start ACTPAS interface in IDISP Pre-prod	to fill-in		
4	Agfa Patient Load	04/09/2018	09/09/2018	
5	Re-play the archived ACTPAS messages	11/09/2018	14/09/2018??	Michael,
6	Start ACTPAS interface - ACTH	13/09/2018		Michael,
7	Agfa 20% RIS load	24/09/2018	28/09/2018	
8	Image Migration of (first two years)	29/09/2018	19/10/2018	
9	Agfa 80% RIS load	29/09/2018	19/10/2018	

10	Image Migration of the rest	20/10/2018	Agfa
	update task 3 and the following dates will dependent of the rest in line with the schedule and v		
Kind Re	egards,		
Dev			
Phone: 0 Future C	avilli Project Manager 12 6174 8729 Mobile Email: <u>Dev.Arsav</u> apability and Governance Branch Digital Solutions es Street, Phillip ACT GPO Box 825, Canberra ACT	Division Health Directorate ACT Go	overnment
To: Cov	[mailto] Vednesday, 29 August 2018 10:54 AM vey, Michael < Michael.Cowey@act.gov.au>; (Health) < act.gov.au>; E: RE: ACTPAS/ EDIS configuration into produ	(Health) <	
Hi Dev, I have a	346 127 4 9414 19 07 97 12 15 27 27 27 27 27 27 27 27 27 27 27 27 27	tion.	
Kind Re	egards,		3
М			
Friday 1 Wednes 24th Sep	office alert: L0 th August sday 15 th August otember to 5 th October inclusive th November inclusive		
	ww.agfahealthcare.com log.agfahealthcare.com		
Sent: W To: Arsa Cc:	Cowey, Michael [mailto:Michael.Cowey@act./dednesday, 29 August 2018 10:39 AM avilli, Dev < Dev.Arsavilli@act.gov.au > (Health) <act.gov.au>; : RE: ACTPAS/ EDIS configuration into product.</act.gov.au>	(Health) <	n for IDIS [SEC=UNCLASSIFIED]
Sent: W	Arsavilli, Dev Vednesday, 29 August 2018 10:34 AM Vey, Michael < <u>Michael.Cowey@act.gov.au</u> >		

Cc:		(Health) <	(Health)
<	act.gov.au>:	<	E

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi Michael,

We are ready to start the PMI data extract today.

Is the achieving is in place are does it require be manually started?

The events as per the current schedule:

#	Task	Start Date	End Date
1	Achieving of ACTPAS messages	29/08/2018	
2	PMI Data Extraction	29/08/2018	31/09/2018
3	Agfa Patient Load	03/09/2018	07/09/2018
4	Start ACTPAS interface in Pre-prod	10/09/2018	
5	Re-play the archived ACTPAS messages	10/09/2018	
6	Agfa 20% RIS load	17/09/2018	21/09/2018
7	Image Migration of (first two years)	22/09/2018	12/10/2018
8	Agfa 80% RIS load	22/09/2018	12/10/2018
9	Image Migration of the rest	13/10/2018	

All these activities will be one after the other except for 7 and 8.

could you please confirm that item 5 happening after item 4 would not be an issue?

Kind Regards,

Dev

Dev Arsavilli | Project Manager

Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au

Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government

2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au

From: Cook, Sandra (Health)

Sent: Tuesday, 28 August 2018 2:11 PM

To: Cowey, Michael < Michael.Cowey@act.gov.au > Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au >

Subject: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS

Hi Michael,

Would you please activate the ACTPAS integration for IDIS into pre-production required for the data migration work? I have reviewed the processes we are proposing and am happy for this to move into pre-production so we can commence data migration.

Really appreciate it!

Kind Regards,

Sandra Cook | Director Future Capability & Governance

Phone: 02 6205 1451 | Mob.

Email: sandra.cook@act.gov.au

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Canberra Hospital, Garran ACT | PO Box 11, Woden ACT 2606 | act.gov.au

This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

Heland, Rebecca (Health)	
1 - Marian (1997)	
From:	Arsavilli, Dev
Sent:	Thursday, 4 October 2018 12:10 PM
To:	(Health); Barrett, Scott (Health); Alam, Azwer (Health)
Cc:	Pearce, Christopher (Health)
Subject:	RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Hi and Scott,	
and Scott,	
That should not be a problem.	
	ing is scoped for five days and suggested them to come up with a better plan than
to halt migration.	ing is scoped for five days and suggested them to come up with a sector plan than
However, nothing may happen u	ntil Monday
nowever, nothing may happen a	nti Wohaay.
Kind Regards,	
mia nogaras,	
ev	
Dev Arsavilli Senior Project Manager	
	Email: Dev.Arsavilli@act.gov.au
	rnance Digital Solutions Division ACT Health Directorate ACT Government ail: Digital.Support@act.gov.au healthhub.act.gov.au/technology
	Garran ACT GPO Box 825, Canberra City ACT 2601 health.act.gov.au
Level 10, Ballani B 1, callberra mospital,	34.14.1.10.1.10.10.10.10.10.10.10.10.10.10.10
(Lingleh)	
From: (Health)	2.22.484
Sent: Thursday, 4 October 2018 8	
and the second of the second o	.Barrett@act.gov.au>; Alam, Azwer (Health) <azwer.alam@act.gov.au></azwer.alam@act.gov.au>
17. 1	<christopher.pearce@act.gov.au>; Arsavilli, Dev <dev.arsavilli@act.gov.au></dev.arsavilli@act.gov.au></christopher.pearce@act.gov.au>
Subject: RE: [AUS - ACT] HL7 and	DICOM migration status / questions [SEC=UNCLASSIFIED]
Thanks Scott.	
Labilia bata and basis to delevition	ge migration a couple of days anyway because Agfa is doing failover testing this
week, so not doing it today migh	t not matter.
Day always that The always to a street of	aid he has called to delay if Anyuar cannot get the configuration dang today
	aid he has asked to delay, if Azwer cannot get the configuration done today
	k. If Azwer can get it done then all the better though because then we are ready to
go when can start. It also a	llows him to do the test image moves that he wants to do.
Regards	
Phone: 02 6174 8768 Mobile:	Email:
	tal Solutions Division Health Directorate ACT Government
	PO Box 11, Woden ACT 2606 www.act.gov.au
From: Barrett, Scott (Health)	
Sent: Thursday, 4 October 2018 8	3:15 AM
To: (Health) <	Alam, Azwer (Health) < Azwer. Alam@act.gov.au >
	<christopher.pearce@act.gov.au>; Arsavilli, Dev <<u>Dev.Arsavilli@act.gov.au</u>></christopher.pearce@act.gov.au>
	DICOM migration status / questions [SEC=UNCLASSIFIED]
- val	

Hi

Chris is out of the office today so Azwer will need to configure this for you if it is required before Monday.

Just so you are aware, we're really short staffed today so that may impact on Azwer's availability to complete this task.

I'm at Bowes until 2pm but I'll be back at TCH after that if you need me for anything.

Thanks

Scott

Scott Barrett | Manager

Direct Phone: 02 6174 8039 | Direct Email: scott.barrett@act.gov.au

Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au

Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

Sent: Wednesday, 3 October 2018 5:14 PM

To: Health | Pearce, Christopher (Health) |

<Christopher.Pearce@act.gov.au |

Cc: Crossley, Nick < Nick.Crossley@act.gov.au |

Subject: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

Hi

That looks correct.

Kind Regards,

NV,

http://www.agfahealthcare.com http://blog.agfahealthcare.com

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From: (Health) [mailto

Sent: Wednesday 3 October 2018 9:12

To: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au>;

Cc: Crossley, Nick < Nick. Crossley@act.gov.au >; Barrett, Scott (Health) < Scott.Barrett@act.gov.au >;

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

So our specification for every connection that needs to be set up should look like the below? The first row is our current configuration for Production that was previously specified to us.

HOST IP PORT AE Title

actentdicom.act.gov.au	10.24.1.10	104	ACTIDIS
actentdicom.act.gov.au	10.24.1.10	104	ACTIDIS_MIG
actentdicom.act.gov.au	10.24.1.10	104	ACTIDIS_PRIORS

Thanks

Phone: 02 6174 8768 | Mobile:

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au

From: Pearce, Christopher (Health)

Sent: Wednesday, 3 October 2018 4:59 PM

(Health) <

c: Crossley, Nick < Nick. Crossley@act.gov.au >; Barrett, Scott (Health) < Scott. Barrett@act.gov.au >;

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

Hi

Can we please have the following for these new AET's:

- Hostname/logical name for each.
- IP Addresses

Port I assume is 104

Chris

Chris Pearce | PACS Administrator

Direct Phone: 02 61747961 | Direct Email: Christopher.Pearce@act.gov.au

Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au cechnology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

From: [mailto:

Sent: Wednesday, 3 October 2018 4:21 PM

(Health) <

Cc: Crossley, Nick < Nick.Crossley@act.gov.au >; Barrett, Scott (Health) < Scott.Barrett@act.gov.au >; Pearce,

Christopher (Health) < Christopher.Pearce@act.gov.au>;

Subject: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

Hi

For the DICOM migration we indeed need the ACTIDIS_MIG and ACTIDIS_PRIORS to be created in the Siemens PACS also. This will make sure that the migration traffic is split from other data.

The IP, port, ... are all the same.

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From: (Health) [mailto

Sent: Wednesday 3 October 2018 2:23

Cc: Crossley, Nick < Nick.Crossley@act.gov.au >; Barrett, Scott (Health) < Scott.Barrett@act.gov.au >; Pearce,

Christopher (Health) < Christopher. Pearce@act.gov.au>

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

From the below we were due to create two Production AE Titles. From your email, do you need us to also create ACTIDIS_MIG and ACTIDIS_PRIORS, and will they both have the same IP and port?

Thanks

From: Pearce, Christopher (Health)

Sent: Wednesday, 3 October 2018 9:59 AM

To: | Barrett, Scott (Health) < Scott.Barrett@act.gov.au>

Cc: Crossley, Nick < Nick.Crossley@act.gov.au>

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

Hi

We only have the following setup configured as this is all that has been requested to date:

g				
Development	eidc1devcs.act.gov.au	10.24.2.66 104	EIDEV	All DICOM

The Agfa DICOM Modality setup document specifies the following environments locally:

Environment	Hostname	IP address & Port	AE title	Function
Production	actentdicom.act.gov.au	10.24.1.10 104	ACTIDIS	All DICOM
Production	As above	As above	ACTIDIS_DMWL	Optional DMWL
Testing	eidc1tstcs.act.gov.au	10.24.2.46 104	EITEST	All DICOM
Testing	As above	As above	EITEST_DMWL	Optional DMWL
Training	eidc1trncs.act.gov.au	10.24.2.56 104	EITRAIN	All DICOM
Training	As above	As above	EITRAIN_DMWL	Optional DMWL
Development	eidc1devcs.act.gov.au	10.24.2.66 104	EIDEV	All DICOM
Development	As above	As above	EIDEV_DMWL	Optional DMWL

Please advise which environment is to be used for Pre-prod and I can make the required entries in the Siemens PACS.

Regards,

~hris

Chris Pearce | PACS Administrator

Direct Phone: 02 61747961 | Direct Email: Christopher.Pearce@act.gov.au

Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au

Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

From: (Health)

Sent: Wednesday, 3 October 2018 9:19 AM

To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au>

Cc: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au >; Crossley, Nick < Nick.Crossley@act.gov.au >

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

It could be that we only know about the Prod PACS address? What has below for ACTIDIS_MIG is different to the production PACS address:

Paramete	er Value	
HOST	actentdicom.act.gov.au	
AE Title	EIPROD	
IP	10.24.2.101	
PORT 104		

Do we need to somewhere specify 10.24.1.10?

Phone: 02 6174 8768 | Mobile:

| Email:

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au