Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

EI only makes that link for the HL7 side, I did test this before sending out my response just to be sure. So on the DICOM side these assumptions are not made, the data needs to match the HL7 order, if it doesn't fully match, manually actions will be needed.

The migration tools have a static database, once everything is setup, no real time checks are possible. We don't seem to have situations where the merges would be executed over ADT and not forwarded to the connected PACS systems.

Kind Regards, Not available: 6th July → Holiday alert: July 27 th - August 15 th http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer (Health) [mailto: act.gov.au] Sent: Monday 9 July 2018 2:47 (Health) < Cc: Arsavilli, Dev <Dev.Arsavilli@act.gov.au>; Mandapati, Sirisha (Health) < Sirisha. Mandapati@act.gov.au >; Divvela, Venkat (Health) <Venkat.Divvela@act.gov.au> Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED] [™]hanks rlease see my comments below. Could you please look into the issues identified in Scheduling? Thanks, | IDIS Data Migration Analyst - UCPH Digital Solutions Program | Email: [mailto: From: Sent: Friday, 6 July 2018 5:13 PM (Health) < act.gov.au>;

(Health) <

Mandapati, Sirisha (Health) < Sirisha. Mandapati@act.gov.au >; Divvela, Venkat (Health)

Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >;

Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

<Venkat.Divvela@act.gov.au>;

The Scheduling part is handled by my collegue (in CC)

I have a day of today and will have a close look on Monday.

- But indeed, with a list of new PIDs the DICOM migration can update these DICOM headers. That would solve the problem and was tested before, so that is OK. The sheet with Study UIDs and active Patient IDs (StudyUID_PatientID.xls) was provided for DICOM header update with the small sample extract provided for merge testing. Was this update implemented for this round of testing?
- In any case, where the merge would be send to El and not to the Siemens PACS and the new
 PID is not somewhere on the provided lists, these will result in the double lines in El as you
 can see from the last test. These types of studies will be reported on the migration 'Exception list'
 as 'migrated, failed validation'.

If EI can identify orders and procedures to be migrated against the right PID (in scenarios where the migrated data is still referencing the merged MRN), can't we do something similar to the DICOM header update too?

Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

Kind Regards,

→ Not available: 6 th July → Holiday alert: July 27 th - August 15 th	
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com	
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer	5224
From: (Health) [mailto act.gov.au] Sent: Friday 6 July 2018 4:23	1
To: To: Series Seri	
Cc: Arsavilli, Dev < <u>Dev.Arsavilli@act.gov.au</u> >; (Health) <	
Mandapati, Sirisha (Health) < <u>Sirisha.Mandapati@act.gov.au</u> >; Divvela, Venkat (He	ealth)
< <u>Venkat.Divvela@act.gov.au</u> > Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]	
, , , , , , , , , , , , , , , , , , , ,	
Thanks for the status update.	
We have verified the data in EI and Scheduling and found the following issues:	
EI – All merges have successfully gone through in EI, except for the 8 studies mentioned in these studies are the studies that needed a DICOM update while migration. For example:	
Accession number , has a study associated to merged MRN in the Siemens PACS, but current active MRN for the patient is This merge for some reason has failed to be implemented on	

Siemen's RIS and PACS and the orders and images in RIS and PACS still associate to the merged MRN. (This is not just a case in test, will also be the case when migrating to prod)

We have had this discussion before and the solution was for me to provide transformed data associating the studies to the right MRN in the extracts and for you to associate the images to the right MRN using DICOM update while image migration.

Now, in this situation where the active MRN is merged once again to a different MRN through a live ADT message, the complexity is for you to identify the new active MRN for to update the DICOM image to the right Patient ID.

Let me know if there is a way of handling this in EI. Happy to discuss this over the phone if needed.

Scheduling:

For the patient merges that were initiated before the patient data loaded into Scheduling, it seems like the merge message has not been actioned by scheduling as expected:

A search in scheduling for the merged MRN does not come up with any patient details (expected result is to see patient details with new active MRN).

But for patient merges initiated after the patient data loaded into Scheduling, the results are as expected (a search on the merged MRN, comes up with details with the new MRN)

Scheduling: No RIS data (procedure history) for any of the patients migrated in this batch.

Could you please look into the above?

Thanks.

	IDIS Data Migration Analyst - UCPH Digital Solutions Program
Mobile:	Email: act.gov.au
From:	[mailto:
Sent: Thurs	sday, 5 July 2018 8:04 PM
To: Divvela	, Venkat (Health) < Venkat. Divvela@act.gov.au >; (Health)
<	act.gov.au>
Cc: Arsavilli	i, Dev < <u>Dev.Arsavilli@act.gov.au</u> >; (Health) <
<	Mandapati, Sirisha (Health) < Sirisha. Mandapati@act.gov.au >;
<	A STATE OF THE STA
ubject: [A	US - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi All,

I have now completed the following steps:

- Sending of the remaining HL7 data towards EI
- Sending the DICOM data towards El

Overall status of the executed tasks today:

- 3 ADT messages have not been send, because the patient was already present in EI
- All ORM/ORU messages have been send and validated
- All 50 DICOM studies have been send to EI, 8 studies have a validation error (see below)

HL7 migration + patient merge

I did a quick check on a random patient that was merged and the new patient seems to be showing up on the order. So that seems to work.

DICOM migration + patient merge

This is a bit unexpected to me, but if you merge patients, it doesn't seem to be happening in the Siemens PACS. Is that correct? or only the case during testing? Because, this will result in 2 lines in EI. The matching logic on DICOM will create a 'temp order' that needs to be manually fixed.

For example, if you search for accession number in El you will see this system. (If the PACS would have send with the new PID, this would be 1 line) These are the affected StudyUIDs: Kind Regards, → Not available: 6th July → Holiday alert: July 27 th - August 15 th NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer From: Divvela, Venkat (Health) [mailto:Venkat.Divvela@act.gov.au] Sent: Thursday 5 July 2018 10:19 (Health) < act.gov.au>; Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) < Mandapati, Sirisha (Health) <Sirisha.Mandapati@act.gov.au> Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED] I have completed the merges and please go ahead for the HL7 and DICOM data to be loaded. Please let us know once the loading is complete. Thanks Venkat

Sent: Thursday, 5 July 2018 5:10 PM

Hi

From:

Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) < Divvela, Venkat (Health) < Venkat.Divvela@act.gov.au>;

Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

	Thanks I have included Venkat (our Data Migration tester) in this email. Venkat will proceed with the patient merges now. He will write back to you when the merges are completed, giving you a go ahead for the HL7 and DICOM data to be loaded.
	Thanks,
0.00	IDIS Data Migration Analyst - UCPH Digital Solutions Program Email: act.gov.au
	Sent: Thursday, 5 July 2018 5:07 PM To:
	Hi All,
i	The patients have now been migrated to EI and Scheduling (over eidc1tstconnect:2333)
	From the 14 patients: ■ 11 ADT messages have actually been send ■ 3 ADT messages have NOT been send, because the patient was already in El These are →
	Kind Regards,
	→ Not available: 6 th July → Holiday alert: July 27 th – August 15 th
	gfa HealthCare NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
	R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
	Sent: Thursday 5 July 2018 8:45 To: Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au >; (Health) < act.gov.au >; Subject: RE: Data extract for Patient Merge test [SEC=UNCLASSIFIED]
	Hi All,
	I'll start working on this now. Will let you know as soon as the PATIENTS only have been send to EI and SCHEDULING.

Kind Regards,



→ Not available: 6th July

→ Holiday alert: July 27 th - August 15 th

NV,

http://www.agfahealthcare.com http://blog.agfahealthcare.com

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 |

IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From:

Sent: Thursday 5 July 2018 8:16

To:

Cc: Arsavilli, Dev <Dev.Arsavilli@act.gov.au>; (Ho

(Health) < act.gov.au>

Subject: RE: Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi

The files for this next batch have been uploaded to the following directory in the Migration server.

D:\ RIS_PACS_Extract_PatientMergeTest\

Kind Regards,

T +61 3 9756 4645 | F +61 7 3356 6683 |

http://www.agfahealthcare.com http://blog.agfahealthcare.com

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From: (Health) [mailto act.gov.au]

Sent: Wednesday, 4 July 2018 5:11 PM

To:

Cc: Arsavilli, Dev <<u>Dev.Arsavilli@act.gov.au</u>>; (Health

Subject: Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi

As discussed yesterday, I have prepared a test extract to retest the patient merges (Extract has been handed over to

The testers will perform a few merges tomorrow (05/07), after which I will send you a confirmation to go ahead and load the patient data (patient data only) into EI and scheduling.

Once we get a confirmation from you about a successful patient load, our testers will perform a few more patient merges.

I will then send you a confirmation to continue with the HL7 and DICOM data load.

Please let me know if you have any further questions.

Thanks.

This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

Helar	nd, Rebecca (Health)	
From: Sent: To: Cc:	7	(Health) Tuesday, 10 July 2018 11:45 AM Arsavilli, Dev; (Health); Mandapati, Sirisha (Health); Divvela, Venkat (Health); Mandapati, Sirisha (Health); RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Thanks	s	
At toda	ay's meeting (arranged for 10	5:30 hrs our time), I would like to discuss the following with you:
You say will ma D) – Co If not co would	y an exception is caused as the check the HL7 order if the check ould this be handled by fixing could we avoid migrating the be to raise these as exceptions at the proving the failed migration set to proving the check as the proving the failed migration set to proving the failed mi	update: ial manual steps at your end? ine DICOM header details do not match the HL7 order(The DICOM header details in the DICOM header details is done after the manual step of updating the header with the provided Patient is the order in which the update and the merge are implemented? Is as exceptions that will need matching after migration? Our preferred approach in sand not migrate (not end up with duplicate RIS orders) and we could then loow in the details of the active patient IDs to migrate/update the DICOM header
Thanks	5,	
Mobile :	IDIS Data Migration And Email:	alyst - UCPH Digital Solutions Program act.gov.au
To: Cc: Ars	Monday, 9 July 2018 4:37 PM (Health) < savilli, Dev <dev.arsavilli@aci Mand at.Divvela@act.gov.au>;</dev.arsavilli@aci 	act.gov.au>;
Hi	_	
•	That would solve the proble The sheet with Study UIDs a update with the small samp	w PIDs the DICOM migration can update these DICOM headers. em and was tested before, so that is OK. and active Patient IDs (StudyUID_PatientID.xls) was provided for DICOM header ble extract provided for merge testing. ted for this round of testing?

 In any case, where the merge would be send to EI and <u>not</u> to the Siemens PACS and the new PID is not somewhere on the provided lists, these will result in the double lines in EI as you can see from the last test. These types of studies will be reported on the migration 'Exception list' as 'migrated, failed validation'.

This was not done during the merge test, but we know from previous tests that this works

If EI can identify orders and procedures to be migrated against the right PID (in scenarios where the migrated data is still referencing the merged MRN), can't we do something similar to the DICOM header update too?

Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

(Health) <

Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>;

<<u>Venkat.Divvela@act.gov.au</u>>;

El only makes that link for the HL7 side, I did test this before sending out my response just to be sure. So on the DICOM side these assumptions are not made, the data needs to match the HL7 order, if it doesn't fully match, manually actions will be needed.

The migration tools have a static database, once everything is setup, no real time checks are possible. We don't seem to have situations where the merges would be executed over ADT and not forwarded to the connected PACS systems.

Kind Regards, → Not available: 6th July → Holiday alert: July 27th - August 15th http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer (Health) [mailto act.gov.au] Sent: Monday 9 July 2018 2:47 Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) < Mandapati, Sirisha (Health) <<u>Sirisha.Mandapati@act.gov.au</u>>; Divvela, Venkat (Health) <<u>Venkat.Divvela@act.gov.au></u> Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED] Thanks Please see my comments below. Could you please look into the issues identified in Scheduling? Thanks, | IDIS Data Migration Analyst - UCPH Digital Solutions Program | Email: act.gov.au [mailto Sent: Friday, 6 July 2018 5:13 PM

act.gov.au>;

(Health) <

Mandapati, Sirisha (Health) < Sirisha. Mandapati@act.gov.au >; Divvela, Venkat (Health)

The Scheduling part is handled by my collegue (in CC).

I have a day of today and will have a close look on Monday.

- But indeed, with a list of new PIDs the DICOM migration can update these DICOM headers.
 That would solve the problem and was tested before, so that is OK.
 The sheet with Study UIDs and active Patient IDs (StudyUID_PatientID.xls) was provided for DICOM header update with the small sample extract provided for merge testing.
 Was this update implemented for this round of testing?
- In any case, where the merge would be send to EI and <u>not</u> to the Siemens PACS and the new
 PID is not somewhere on the provided lists, these will result in the double lines in EI as you
 can see from the last test. These types of studies will be reported on the migration 'Exception list'
 as 'migrated, failed validation'.

If EI can identify orders and procedures to be migrated against the right PID (in scenarios where the migrated data is still referencing the merged MRN), can't we do something similar to the DICOM header update too?

Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

Kind Regards,

T				_
→ N	Not availal	ole: 6 th July		
→	Holiday ale	rt: July 27th	- August 15 th	
		NV,		
http	://www.ac	fahealthcare.	.com	
		ahealthcare.		

.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From:	(Health) [mailto	act.gov.au]	
Sent: Friday 6 J	uly 2018 4:23	81	
To:	<		
Cc: Arsavilli, De	v < Dev.Arsavilli@act.gov.au>;	(Health) <	
<	Mandapati, Sirisha (H	lealth) < <u>Sirisha.Mandapati@act.gov.au</u> >; Divvela, Venkat (Heal	th)
< Venkat. Divvel	a@act.gov.au>		

Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Thanks for the status update.

We have verified the data in EI and Scheduling and found the following issues:

EI – All merges have successfully gone through in EI, except for the 8 studies mentioned in email below. these studies are the studies that needed a DICOM update while migration. For example:

Accession number has a study associated to merged MRN in the Siemens PACS, but current active MRN for the patient is has a study associated to merge for some reason has failed to be implemented on Siemen's RIS and PACS and the orders and images in RIS and PACS still associate to the merged MRN. (This is not just a case in test, will also be the case when migrating to prod) We have had this discussion before and the solution was for me to provide transformed data associating the studies to the right MRN in the extracts and for you to associate the images to the right MRN using DICOM update while image migration. Now, in this situation where the active MRN is merged once again to a different MRN through a live ADT message, the complexity is for you to identify the new active MRN for the phone if needed. Let me know if there is a way of handling this in EI. Happy to discuss this over the phone if needed.
Scheduling: For the patient merges that were initiated before the patient data loaded into Scheduling, it seems like the merge message has not been actioned by scheduling as expected: A search in scheduling for the merged MRN does not come up with any patient details (expected result is to see patient details with new active MRN). But for patient merges initiated after the patient data loaded into Scheduling, the results are as expected (a search on the merged MRN, comes up with details with the new MRN)
Scheduling: No RIS data (procedure history) for any of the patients migrated in this batch.
Could you please look into the above?
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program Email:
From: [mailto] Sent: Thursday, 5 July 2018 8:04 PM Fo: Divvela, Venkat (Health) < Venkat. Divvela@act.gov.au>; (Health)
Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; (Health) < Mandapati, Sirisha (Health) < Sirisha.Mandapati@act.gov.au>;

Subject: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi All,

I have now completed the following steps:

- Sending of the remaining HL7 data towards EI
- Sending the DICOM data towards EI

Overall status of the executed tasks today:

- 3 ADT messages have not been send, because the patient was already present in EI
- All ORM/ORU messages have been send and validated
- All 50 DICOM studies have been send to El, 8 studies have a validation error (see below)

HL7 migration + patient merge

Divvela, Venkat

I did a quick check on a random patient that was merged and the new patient seems to be showing up on the order. So that seems to work.

DICOM migration + patient merge

Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >;

This is a bit unexpected to me, but if you merge patients, it doesn't seem to be happening in the Siemens PACS. Is that correct? or only the case during testing? Because, this will result in 2 lines in FI. The matching logic on DICOM will create a 'temp order' that needs

to be manually fixed.
For example, if you search for accession number in El you will see this system. (If the PACS would have send with the new PID, this would be 1 line)
These are the affected StudyUIDs:
Kind Regards,
T
→ Not available: 6 th July → Holiday alert: July 27 th - August 15 th
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
rrom: Divvela, Venkat (Health) [mailto:Venkat.Divvela@act.gov.au]
Sent: Thursday 5 July 2018 10:19 To: (Health) < act.gov.au>;
Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >; (Health) <
<pre>Mandapati, Sirisha (Health) < Sirisha.Mandapati@act.gov.au> Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]</pre>
Hi la
I have completed the merges and please go ahead for the HL7 and DICOM data to be loaded. Please let us know once the loading is complete.
Thanks
Venkat
From: (Health) Sent: Thursday, 5 July 2018 5:10 PM

(Health) <

(Health) < Venkat.Divvela@act.gov.au >; Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Thanks I have included Venkat (our Data Migration tester) in this email. Venkat will proceed with the patient merges now. He will write back to you when the merges are completed, giving you a go ahead for the HL7 and DICOM data to be loaded.
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program Email: act.gov.au
From: [mailto] Sent: Thursday, 5 July 2018 5:07 PM To:
Hi All,
The patients have now been migrated to EI and Scheduling (over eidc1tstconnect:2333)
From the 14 patients: • 11 ADT messages have actually been send • 3 ADT messages have NOT been send, because the patient was already in EI These are →
Kind Regards,
 Not available: 6th July → Holiday alert: July 27th - August 15th
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: Sent: Thursday 5 July 2018 8:45 To:
Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au >; (Health) < (Health) < act.gov.au >; (Health) < act.gov.au >; (Subject: RE: Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Hi All,
I'll start working on this now.

Will let you know as soon as the PATIENTS only have been send to ${\sf EI}$ and ${\sf SCHEDULING}$.

Kind Regards,



→ Not available: 6th July

→ Holiday alert: July 27 th - August 15 th

NV, Septestraat 27, 2640 Mortsel, Belgium

http://www.agfahealthcare.com http://blog.agfahealthcare.com

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From:
Sent: Thursday 5 July 2018 8:16

To: C: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) < act.gov.au>

'ubject: RE: Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi

The files for this next batch have been uploaded to the following directory in the Migration server.

D:\\RIS_PACS_Extract_PatientMergeTest\\

Kind Regards,



http://www.agfahealthcare.com http://blog.agfahealthcare.com

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer



Subject: Data extract for Patient Merge test [SEC=UNCLASSIFIED]

As discussed yesterday, I have prepared a test extract to retest the patient merges (Extract has been handed over to

The testers will perform a few merges tomorrow (05/07), after which I will send you a confirmation to go ahead and load the patient data (patient data only) into EI and scheduling.

Once we get a confirmation from you about a successful patient load, our testers will perform a few more patient merges.

I will then send you a confirmation to continue with the HL7 and DICOM data load.

Please let me know if you have any further questions.

Thanks,

IDIS Data Migration Analyst - UCPH Digital Solutions Program Mobile : act.gov.au	
This email, and any attachments, may be confidential and also privileged. If you are not recipient, please notify the sender and delete all copies of this transmission along with a immediately. You should not copy or use it for any purpose, nor disclose its contents to	ny attachments

Heland, Rebecca (Health)

From:
Sent:

Monday, 9 July 2018 5:44 PM

To:

Cc:

Arsavilli, Dev; (Health); Mandapati, Sirisha (Health); Divvela, Venkat (Health)

RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

I have not been involved in what you has been sent in the data migration tests so not sure of the complete flow of what is happened. But basically EI and Scheduling should be the same as it comes from the same set of data.

From your Questions:

Scheduling:

Subject:

For the patient merges that were initiated before the patient data loaded into Scheduling, it seems like the merge message has not been actioned by scheduling as expected:

A search in scheduling for the merged MRN does not come up with any patient details (expected result is to see patient details with new active MRN).

AC: Correct – Patients must exists else message will not be processed.


But for patient merges initiated after the patient data loaded into Scheduling, the results are as expected (a search on the merged MRN, comes up with details with the new MRN)

AC: Correct - as expected

Scheduling: No RIS data (procedure history) for any of the patients migrated in this batch.

AC: I pushed into Scheduling whatever was in the AMT database from had processed. I can look further but need to know what data was expected (list of accession numbers) to check for. This was primarily for the Multiple attachments issue so if not the correct batch then I need to know and can redo. But be warned – if the patient merge did to occur then then a new patient will be created if for the unmerged id not found. Not sure if this is a good test anymore.

(ind Regards,



http://www.agfahealthcare.com http://blog.agfahealthcare.com

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

Sent: maandag 9 juli 2018 8:37

To: (Health) < (Act.gov.au); (Health) < (Health) <

Hi

But indeed, with a list of new PIDs the DICOM migration can update these DICOM headers.
 That would solve the problem and was tested before, so that is OK.

The sheet with Study UIDs and active Patient IDs (StudyUID_PatientID.xls) was provided for DICOM header update with the small sample extract provided for merge testing. Was this update implemented for this round of testing?

This was not done during the merge test, but we know from previous tests that this works

In any case, where the merge would be send to EI and <u>not</u> to the Siemens PACS and the new
PID is not somewhere on the provided lists, these will result in the double lines in EI as you
can see from the last test. These types of studies will be reported on the migration 'Exception list'
as 'migrated, failed validation'.

If EI can identify orders and procedures to be migrated against the right PID (in scenarios where the migrated data is still referencing the merged MRN), can't we do something similar to the DICOM header update too?

Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

El only makes that link for the HL7 side, I did test this before sending out my response just to be sure. So on the DICOM side these assumptions are not made, the data needs to match the HL7 order, if it doesn't fully match, manually actions will be needed.

The migration tools have a static database, once everything is setup, no real time checks are possible. We don't seem to have situations where the merges would be executed over ADT and not forwarded to the connected PACS systems.

Kind Regards,

 Not available: 6th July → Holiday alert: July 27th - August 15th 	
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com	
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE8136301235622 BAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.aqfahealthcare.com/maildisclaimer	4
rom: (Health) [mailto act.gov.au]	
Sent: Monday 9 July 2018 2:47	
To:	
Cc: Arsavilli, Dev < <u>Dev.Arsavilli@act.gov.au</u> >; (Health) <	1
Mandapati, Sirisha (Health) < Sirisha. Mandapati@act.gov.au>; Divvela, Venkat (Health)	h
Venkat.Divvela@act.gov.au>	
Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]	
Thanks Thanks	
Please see my comments below.	

Could you please look into the issues identified in Scheduling?

Thanks.

	624
IDIS Data Migration Analyst - UCPH Digital Solutions Program Mobile : Email: act.gov.au	
From: [mailto] Sent: Friday, 6 July 2018 5:13 PM To: [Mealth] < [act.gov.au] >;	'enkat (Health)
Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]	
	1
The Scheduling part is handled by my collegue (in CC).	
I have a day of today and will have a close look on Monday.	
• But indeed, with a list of new PIDs the DICOM migration can update these DICOM headers. That would solve the problem and was tested before, so that is OK. The sheet with Study UIDs and active Patient IDs (StudyUID_PatientID.xls) was provided for DI update with the small sample extract provided for merge testing. Was this update implemented for this round of testing?	ICOM header
In any case, where the merge would be send to EI and <u>not</u> to the Siemens PACS and the new PID is not somewhere on the provided lists, these will result in the double lines in EI as you can see from the last test. These types of studies will be reported on the migration 'Exception as 'migrated, failed validation'. If EI can identify orders and procedures to be migrated against the right PID (in scenarios whe migrated data is still referencing the merged MRN), can't we do something similar to the DICC update too? Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is can your code not find the active PID for the same? I understand that this adds to the complex needed for DICOM update, but my understanding is that the system should have all the require information needed for the DICOM header update. Could you please analyze if this is a possible option?	re the DM header active, if not, xity of the code
Kind Regards,	
→ Not available: 6 th July → Holiday alert: July 27 th – August 15 th	
http://www.agfahealthcare.com http://blog.agfahealthcare.com	
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer	.363012356224
From: (Health) [mailtoact.gov.au] Sent: Friday 6 July 2018 4:23 To: <	'enkat (Health)

< <u>Venkat.Divvela@act.gov.au</u> > Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Hi Thanks for the status update.
We have verified the data in EI and Scheduling and found the following issues:
EI – All merges have successfully gone through in EI, except for the 8 studies mentioned in these studies are the studies that needed a DICOM update while migration. For example:
Accession number has a study associated to merged MRN in the Siemens PACS, but current active MRN for the patient is the study associated to merged MRN in the Siemens PACS, but current active MRN for the patient is the study associated to merged MRN for the patient is the study associated to be implemented on Siemen's RIS and PACS and the orders and images in RIS and PACS still associate to the merged MRN. (This is not just a case in test, will also be the case when migrating to prod)
We have had this discussion before and the solution was for me to provide transformed data associating the studies to the right MRN in the extracts and for you to associate the images to the right MRN using DICOM update while image migration.
Now, in this situation where the active MRN is merged once again to a different MRN through a live ADT message, the complexity is for you to identify the new active MRN for to update the DICOM image to the right Patient ID.
Let me know if there is a way of handling this in El. Happy to discuss this over the phone if needed.
Scheduling: For the patient merges that were initiated before the patient data loaded into Scheduling, it seems like the merge message has not been actioned by scheduling as expected: A search in scheduling for the merged MRN does not come up with any patient details (expected result is to see
patient details with new active MRN). But for patient merges initiated after the patient data loaded into Scheduling, the results are as expected (a search on the merged MRN, comes up with details with the new MRN)
Scheduling: No RIS data (procedure history) for any of the patients migrated in this batch.
Could you please look into the above?
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program Email: act.gov.au
From: [mailto] Sent: Thursday, 5 July 2018 8:04 PM
To: Divvela, Venkat (Health) < Venkat.Divvela@act.gov.au >; (Health) < Sunitha.Sampath@act.gov.au >
Cc: Arsavilli, Dev < <u>Dev.Arsavilli@act.gov.au</u> >; (Health) < Mandapati, Sirisha (Health) < <u>Sirisha.Mandapati@act.gov.au</u> >;
Subject: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED] Hi All,
ULCON,

Sending of the remaining HL7 data towards EI

I have now completed the following steps:

Sending the DICOM data towards El

Overall status of the executed tasks today:

- 3 ADT messages have not been send, because the patient was already present in El
- All ORM/ORU messages have been send and validated
- All 50 DICOM studies have been send to EI, 8 studies have a validation error (see below)

HL7 migration + patient merge

I did a quick check on a random patient that was merged and the new patient seems to be showing up on the order. So that seems to work.

DICOM migration + patient merge

This is a bit unexpected to me, but if you merge patients, it doesn't seem to be happening in the Siemens PACS. Is that correct? or only the case during testing? Because, this will result in 2 lines in EI. The matching logic on DICOM will create a 'temp order' that needs to be manually fixed.

For example, if you search for accession number in El you will see this system. (If the PACS would have send with the new PID, this would be 1 line)

These are the affected StudyUIDs:



Kind Regards,



→ Not available: 6th July

→ Holiday alert: July 27th - August 15th

http://www.agfahealthcare.com http://blog.agfahealthcare.com

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From: Divvela, Venkat (Health) [mailto:Venkat.Divvela@act.gov.au]

Sent: Thursday 5 July 2018 10:19
To: (Health) <

To: act.gov.au>;

Cc: Arsavilli, Dev <Dev.Arsavilli@act.gov.au>;

(Health) <

Mandapati, Sirisha (Health) < Sirisha. Mandapati@act.gov.au >

Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hí

I have completed the merges and please go ahead for the HL7 and DICOM data to be loaded. Please let us know once the loading is complete. Thanks Venkat From: (Health) Sent: Thursday, 5 July 2018 5:10 PM < Cc: Arsavilli, Dev <Dev.Arsavilli@act.gov.au>; (Health) < Divvela, Venkat (Health) <Venkat.Divvela@act.gov.au>; Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED] Thanks I have included Venkat (our Data Migration tester) in this email. Venkat will proceed with the patient merges now. He will write back to you when the merges are completed, giving you a go ahead for the HL7 and DICOM data to be loaded. Thanks. | IDIS Data Migration Analyst - UCPH Digital Solutions Program From: [mailto Sent: Thursday, 5 July 2018 5:07 PM Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >; (Health) < (Health) < |act.gov.au>; Subject: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED] Hi All, The patients have now been migrated to EI and Scheduling (over eidc1tstconnect:2333) From the 14 patients: 11 ADT messages have actually been send 3 ADT messages have NOT been send, because the patient was already in EI These are -> Kind Regards, → Not available: 6th July

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

→ Holiday alert: July 27th - August 15th

http://www.agfahealthcare.com http://blog.agfahealthcare.com

From: Sent: Thursday 5 July 2018 8:45 To: C: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) <
(Health) < act.gov.au>; Subject: RE: Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Hi All,
I'll start working on this now. Will let you know as soon as the PATIENTS only have been send to EI and SCHEDULING.
Kind Regards,
→ Not available: 6 th July → Holiday alert: July 27 th - August 15 th
ngfa HealthCare NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Thursday 5 July 2018 8:16 To:
Hi
The files for this next batch have been uploaded to the following directory in the Migration server.
D:\\RIS_PACS_Extract_PatientMergeTest\\
Kind Regards,
T +61 3 9756 4645 F +61 7 3356 6683 M
http://www.agfahealthcare.com http://blog.agfahealthcare.com Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: (Health) [mailto Mact.gov.au] Sent: Wednesday, 4 July 2018 5:11 PM To: Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) Subject: Data extract for Patient Merge test [SEC=UNCLASSIFIED]

As discussed yesterday, I have prepared a test extract to retest the patient merges (Extract has been handed over to

The testers will perform a few merges tomorrow (05/07), after which I will send you a confirmation to go ahead and load the patient data (patient data only) into EI and scheduling.

Once we get a confirmation from you about a successful patient load, our testers will perform a few more patient merges.

I will then send you a confirmation to continue with the HL7 and DICOM data load.

Please let me know if you have any further questions. Thanks,

Mobile :	IDIS Data I	Aligration Analyst - UCPH Digital Solutions Program

This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

Heland, Rebecca (Health)

From:

Sent:

Monday, 9 July 2018 4:37 PM

To:

(Health);

(Health);

Divvela, Venkat (Health);

[AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi

• But indeed, with a list of new PIDs the DICOM migration can update these DICOM headers. That would solve the problem and was tested before, so that is OK. The sheet with Study UIDs and active Patient IDs (StudyUID_PatientID.xls) was provided for DICOM header update with the small sample extract provided for merge testing. Was this update implemented for this round of testing?

This was not done during the merge test, but we know from previous tests that this works

• In any case, where the merge would be send to EI and <u>not</u> to the Siemens PACS and the new PID is not somewhere on the provided lists, these will result in the double lines in EI as you can see from the last test. These types of studies will be reported on the migration 'Exception list' as 'migrated, failed validation'.

If EI can identify orders and procedures to be migrated against the right PID (in scenarios where the migrated data is still referencing the merged MRN), can't we do something similar to the DICOM header update too?

Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

[KEV] EI only makes that link for the HL7 side, I did test this before sending out my response just to be sure. So on the DICOM side these assumptions are not made, the data needs to match the HL7 order, if it doesn't fully match, manually actions will be needed.

The migration tools have a static database, once everything is setup, no real time checks are possible. We don't seem to have situations where the merges would be executed over ADT and not forwarded to the connected PACS systems.

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From: (Health) [mailto act.gov.au] Sent: Monday 9 July 2018 2:47
To:
Cc: Arsavilli, Dev <dev.arsavilli@act.gov.au>;</dev.arsavilli@act.gov.au>
Thanks Please see my comments below.
Could you please look into the issues identified in Scheduling?
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program Mobile : act.gov.au
From: [mailto: [mailto: Sent: Friday, 6 July 2018 5:13 PM]
To: act.gov.au>;
Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; (Health) < Mandapati, Sirisha (Health) < Sirisha.Mandapati@act.gov.au>; Divvela, Venkat (Health)
<pre><venkat.divvela@act.gov.au>; Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]</venkat.divvela@act.gov.au></pre>
The Scheduling part is handled by my collegue (in CC)

I have a day of today and will have a close look on Monday.

- But indeed, with a list of new PIDs the DICOM migration can update these DICOM headers.
 That would solve the problem and was tested before, so that is OK.
 The sheet with Study UIDs and active Patient IDs (StudyUID_PatientID.xls) was provided for DICOM header update with the small sample extract provided for merge testing.
 Was this update implemented for this round of testing?
- In any case, where the merge would be send to EI and <u>not</u> to the Siemens PACS and the new PID is not somewhere on the provided lists, these will result in the double lines in EI as you can see from the last test. These types of studies will be reported on the migration 'Exception list' as 'migrated, failed validation'.

If EI can identify orders and procedures to be migrated against the right PID (in scenarios where the migrated data is still referencing the merged MRN), can't we do something similar to the DICOM header update too?

Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

Kind Regards,



 Not available: 6th July → Holiday alert: July 27th - August 15th
http://www.agfahealthcare.com http://blog.aqfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: (Health) [mailto: act.gov.au] Sent: Friday 6 July 2018 4:23 To: Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; (Health) < (
Hi Thanks for the status update.
We have verified the data in EI and Scheduling and found the following issues:
EI – All merges have successfully gone through in EI, except for the 8 studies mentioned in these studies are the studies that needed a DICOM update while migration. For example: Accession number has a study associated to merged MRN in the Siemens PACS, but
Accession number has a study associated to merged MRN in the Siemens PACS, but current active MRN for the patient is the current active MRN for the patient active many fo
Now, in this situation where the active MRN is merged once again to a different MRN through a live ADT message, the complexity is for you to identify the new active MRN for update the DICOM image to the right Patient ID. Let me know if there is a way of handling this in El. Happy to discuss this over the phone if needed.
Scheduling:
For the patient merges that were initiated before the patient data loaded into Scheduling, it seems like the merge message has not been actioned by scheduling as expected: A search in scheduling for the merged MRN does not come up with any patient details (expected result is to see
patient details with new active MRN). But for patient merges initiated after the patient data loaded into Scheduling, the results are as expected (a search on the merged MRN, comes up with details with the new MRN)
Scheduling: No RIS data (procedure history) for any of the patients migrated in this batch.
Could you please look into the above?
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program

From: [mailto	
Sent: Thursday, 5 July 2018 8:04 PM	
To: Divvela, Venkat (Health) < Venkat. Divvela@act.gov.au>; (Health)	
<pre><c.gov.au></c.gov.au></pre>	
Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >; (Health) <	
<pre>Mandapati, Sirisha (Health) <<u>Sirisha.Mandapati@act.gov.au</u>>;</pre>	
Subject: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]	

Hi All,

I have now completed the following steps:

- Sending of the remaining HL7 data towards El
- Sending the DICOM data towards EI

Overall status of the executed tasks today:

- 3 ADT messages have not been send, because the patient was already present in EI
- All ORM/ORU messages have been send and validated
- All 50 DICOM studies have been send to EI, 8 studies have a validation error (see below)

HL7 migration + patient merge


I did a quick check on a random patient that was merged and the new patient seems to be showing up on the order. So that seems to work.

DICOM migration + patient merge

This is a bit unexpected to me, but if you merge patients, it doesn't seem to be happening in the Siemens PACS. Is that correct? or only the case during testing? Because, this will result in 2 lines in EI. The matching logic on DICOM will create a 'temp order' that needs to be manually fixed.

For example, if you search for accession number in El you will see this system. (If the PACS would have send with the new PID, this would be 1 line)

These are the affected StudyUIDs:



Kind Regards,



Not available: 6th July


→ Holiday alert: July 27 th - August 15 th

NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: Divvela, Venkat (Health) [mailto:Venkat.Divvela@act.gov.au] Sent: Thursday 5 July 2018 10:19 To: Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au >; (Health) < Mandapati, Sirisha (Health) < Sirisha.Mandapati@act.gov.au > Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
HI
I have completed the merges and please go ahead for the HL7 and DICOM data to be loaded. Please let us know once the loading is complete.
Thanks Venkat
Sent: Thursday, 5 July 2018 5:10 PM To: Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; (Health) < Divvela, Venkat (Health) < Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Thanks I have included Venkat (our Data Migration tester) in this email. Venkat will proceed with the patient merges now. He will write back to you when the merges are completed, giving you a go ahead for the HL7 and DICOM data to be loaded.
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program Mobile :
From: [mailto: Sent: Thursday, 5 July 2018 5:07 PM To: C: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >; (Health) < C: Arsavilli (Health) < C: ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Hi All,
The patients have now been migrated to EI and Scheduling (over eidc1tstconnect:2333)
From the 14 patients: • 11 ADT messages have actually been send • 3 ADT messages have NOT been send, because the patient was already in El These are →

Kind Regards,
→ Not available: 6 th July → Holiday alert: July 27 th - August 15 th
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: Sent: Thursday 5 July 2018 8:45 To: Sent: Thursday 5 July 2018 8:45
Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; (Health) < (Health) <
Subject: RE: Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Hi All,
I'll start working on this now. Will let you know as soon as the PATIENTS only have been send to EI and SCHEDULING.
Kind Regards,
→ Not available: 6 th July → Holiday alert: July 27 th – August 15 th
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: Sent: Thursday 5 July 2018 8:16
Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au >; (Health) <
(Health) < act.gov.au> Subject: RE: Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Hi Table
The files for this next batch have been uploaded to the following directory in the Migration server.

Kind Regards,

D:*\RIS_PACS_Extract_PatientMergeTest\



This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

| IDIS Data Migration Analyst - UCPH Digital Solutions Program act.gov.au

Helar	nd, Rebecca (Health)	
From: Sent: To: Cc: Subject	rt:	Tuesday, 10 July 2018 11:45 AM Arsavilli, Dev; (Health); Mandapati, Sirisha (Health); Divvela, Venkat (Health); RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Thanks		
At toda	ay's meeting (arranged for	16:30 hrs our time), I would like to discuss the following with you:
You say will may 2) – Could you have been say will may be say a second say and say a second say	y an exception is caused as atch the HL7 order if the chould this be handled by fix ould we avoid migrating the be to raise these as except e failed migration set to pr	r update: onal manual steps at your end? the DICOM header details do not match the HL7 order(The DICOM header details leck is done after the manual step of updating the header with the provided Patiening the order in which the update and the merge are implemented? nese as exceptions that will need matching after migration? Our preferred approactions and not migrate (not end up with duplicate RIS orders) and we could then look ovide details of the active patient IDs to migrate/update the DICOM header
Thanks		
Mobile :	IDIS Data Migration	Analyst - UCPH Digital Solutions Program
To: Cc: Ars /enka	Ma at.Divvela@act.gov.au>;	M act.gov.au>; ac
Hi		
•	That would solve the pro The sheet with Study UID update with the small sai	new PIDs the DICOM migration can update these DICOM headers. blem and was tested before, so that is OK. s and active Patient IDs (StudyUID_PatientID.xls) was provided for DICOM header mple extract provided for merge testing. ented for this round of testing?
	This was not done	during the merge test, but we know from previous tests that this works
•	In any case, where the m	erge would be send to EI and <u>not</u> to the Siemens PACS and the new

PID is not somewhere on the provided lists, these will result in the double lines in EI as you can see from the last test. These types of studies will be reported on the migration 'Exception list'

as 'migrated, failed validation'.

If EI can identify orders and procedures to be migrated against the right PID (in scenarios where the migrated data is still referencing the merged MRN), can't we do something similar to the DICOM header update too?

Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

(Health) <

Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>;

<<u>Venkat.Divvela@act.gov.au</u>>;

[KEV] El only makes that link for the HL7 side, I did test this before sending out my response just to be sure. So on the DICOM side these assumptions are not made, the data needs to match the HL7 order, if it doesn't fully match, manually actions will be needed.

The migration tools have a static database, once everything is setup, no real time checks are possible. We don't seem to have situations where the merges would be executed over ADT and not forwarded to the connected PACS systems.

Kind Regards. Not available: 6th July → Holiday alert: July 27th - August 15th http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer (Health) [mailto act.gov.au] Sent: Monday 9 July 2018 2:47 Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) < Mandapati, Sirisha (Health) <Sirisha.Mandapati@act.gov.au>; Divvela, Venkat (Health) <Venkat.Divvela@act.gov.au> Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED] **Thanks** Please see my comments below. Could you please look into the issues identified in Scheduling? Thanks, IDIS Data Migration Analyst - UCPH Digital Solutions Program act.gov.au From: [mailto Sent: Friday, 6 July 2018 5:13 PM

act.gov.au>;

(Health) <

Mandapati, Sirisha (Health) < Sirisha. Mandapati@act.gov.au>; Divvela, Venkat (Health)

The Scheduling part is handled by my collegue (in CC).

I have a day of today and will have a close look on Monday.

- But indeed, with a list of new PIDs the DICOM migration can update these DICOM headers. That would solve the problem and was tested before, so that is OK. The sheet with Study UIDs and active Patient IDs (StudyUID_PatientID.xls) was provided for DICOM header update with the small sample extract provided for merge testing. Was this update implemented for this round of testing?
- In any case, where the merge would be send to EI and <u>not</u> to the Siemens PACS and the new
 PID is not somewhere on the provided lists, these will result in the double lines in EI as you
 can see from the last test. These types of studies will be reported on the migration 'Exception list'
 as 'migrated, failed validation'.

If EI can identify orders and procedures to be migrated against the right PID (in scenarios where the migrated data is still referencing the merged MRN), can't we do something similar to the DICOM header update too?

Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

Kind Regards,

	1	
T		•
→ Not availa→ Holiday al	ible: 6 th July ert: July 27 th – August 15 th	
labba / //www.	NV,	
	gfahealthcare.com	

'.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | 3AN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi ______ Thanks for the status update.

We have verified the data in EI and Scheduling and found the following issues:

EI – All merges have successfully gone through in EI, except for the 8 studies mentioned in email below. these studies are the studies that needed a DICOM update while migration. For example:

040
Accession number a study associated to merged MRN the Siemens PACS, but current active MRN for the patient is siemens. This merge for some reason has failed to be implemented on Siemen's RIS and PACS and the orders and images in RIS and PACS still associate to the merged MRN. (This is not just a case in test, will also be the case when migrating to prod) We have had this discussion before and the solution was for me to provide transformed data associating the studie to the right MRN in the extracts and for you to associate the images to the right MRN using DICOM update while image migration. Now, in this situation where the active MRN is merged once again to a different MRN through a live ADT message, the complexity is for you to identify the new active MRN for update the DICOM image to the right Patient ID.
Let me know if there is a way of handling this in El. Happy to discuss this over the phone if needed.
Scheduling: For the patient merges that were initiated before the patient data loaded into Scheduling, it seems like the merge message has not been actioned by scheduling as expected: A search in scheduling for the merged MRN does not come up with any patient details (expected result is to see patient details with new active MRN). But for patient merges initiated after the patient data loaded into Scheduling, the results are as expected (a search on the merged MRN, comes up with details with the new MRN)
Scheduling: No RIS data (procedure history) for any of the patients migrated in this batch.
Could you please look into the above?
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program Email: Lact.gov.au
From: [mailto] Sent: Thursday, 5 July 2018 8:04 PM To: Divvela, Venkat (Health) < Venkat. Divvela@act.gov.au >; (Health) act.gov.au > Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >; (Health) <
Mandapati, Sirisha (Health) < Sirisha.Mandapati@act.gov.au >;

Subject: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi All,

I have now completed the following steps:

- Sending of the remaining HL7 data towards El
- Sending the DICOM data towards EI

Overall status of the executed tasks today:

- 3 ADT messages have not been send, because the patient was already present in El
- All ORM/ORU messages have been send and validated
- All 50 DICOM studies have been send to EI, 8 studies have a validation error (see below)

HL7 migration + patient merge

I did a quick check on a random patient that was merged and the new patient seems to be showing up on the order. So that seems to work.

DICOM migration + patient merge

This is a bit unexpected to me, but if you merge patients, it doesn't seem to be happening in the Siemens PACS. Is that correct? or only the case during testing? Because, this will result in 2 lines in EI. The matching logic on DICOM will create a 'temp order' that needs to be manually fixed.

For example, if you search for accession number in El you will see this system. (If the PACS would have send with the new PID, this would be 1 line)

These are the affected StudyUIDs:	
Kind Regards,	
T	
 → Not available: 6th July → Holiday alert: July 27th – August 15th 	
NV,	
http://www.agfahealthcare.com http://blog.agfahealthcare.com	
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Accou	nt RE91363012356224 I
IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels	THE BEOLDOODLESSOZET
Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer	
rom: Divvela, Venkat (Health) [mailto:Venkat.Divvela@act.gov.au]	
Sent: Thursday 5 July 2018 10:19	
To: (Health) < act.gov.au>;	
Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; (Health) < Mandapati, Sirisha (Health) < Sirisha.Mandapati@act.gov.au>	
Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]	
Hi Hi	
I have completed the merges and please go ahead for the HL7 and DICOM data to be loaded.	
Please let us know once the loading is complete.	
Thanks	
Venkat	
From: (Health),	
Sent: Thursday, 5 July 2018 5:10 PM	
To: Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) <	Divvela, Venkat
(Hediti)	E. Foldy Foliate

(Health) < Venkat.Divvela@act.gov.au >; Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Thanks I have included Venkat (our Data Migration tester) in this email. Venkat will proceed with the patient merges now. He will write back to you when the merges are completed, giving you a go ahead for the HL7 and DICOM data to be loaded.
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program Mobile : act.gov.au
From: [mailto] Sent: Thursday, 5 July 2018 5:07 PM To: [mailto] Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; [mailto] (Health) <
Hi All,
The patients have now been migrated to EI and Scheduling (over eidc1tstconnect:2333)
From the 14 patients: ■ 11 ADT messages have actually been send ■ 3 ADT messages have NOT been send, because the patient was already in El These are →
Kind Regards,
→ Not available: 6 th July → Holiday alert: July 27 th – August 15 th
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Thursday 5 July 2018 8:45 To: Sent: To: Sent: To: Sent: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; Sent: Cet. Arsavilli (Health) < Subject: RE: Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Hi All,
I'll start working on this now.

Will let you know as soon as the PATIENTS only have been send to EI and SCHEDULING.

Kind Regards,



→ Not available: 6th July

→ Holiday alert: July 27 th - August 15 th

NV,

http://www.agfahealthcare.com http://blog.agfahealthcare.com

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From:

Sent: Thursday 5 July 2018 8:16

To:

Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) <

(Health) < <u>act.gov.au</u>> **Subject:** RE: Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi

The files for this next batch have been uploaded to the following directory in the Migration server.

D:\\RIS PACS Extract PatientMergeTest\

Kind Regards,



http://www.agfahealthcare.com http://blog.agfahealthcare.com

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From: (Health) [mailto act.gov.au]

Jent: Wednesday, 4 July 2018 5:11 PM

Arsavilli, Dev < Dev. Arsavilli@act.gov.au >; (Health)

Subject: Data extract for Patient Merge test [SEC=UNCLASSIFIED]

Hi

As discussed yesterday, I have prepared a test extract to retest the patient merges (Extract has been handed over to

The testers will perform a few merges tomorrow (05/07), after which I will send you a confirmation to go ahead and load the patient data (patient data only) into EI and scheduling.

Once we get a confirmation from you about a successful patient load, our testers will perform a few more patient merges.

I will then send you a confirmation to continue with the HL7 and DICOM data load.

Please let me know if you have any further questions.

Thanks,

Mobile :	IDIS Data Migration Analyst - UCPH Digital Solutions Program Email:
recipient, p	and any attachments, may be confidential and also privileged. If you are not the intended lease notify the sender and delete all copies of this transmission along with any attachments y. You should not copy or use it for any purpose, nor disclose its contents to any other person

Heland, Rebecca (Health)

From: Sent: To: Cc:	Monday, 9 July 2018 10:47 AM Arsavilli, Dev; (Health); Mandapati, Sirisha (Health); Divvela, Venkat (Health)
Subject:	RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Thanks Please see my comments below	r.
Could you please look into the i	ssues identified in Scheduling?
Thanks, IDIS Data Migration Email:	n Analyst - UCPH Digital Solutions Program act.gov.au
<venkat.divvela@act.gov.au>;</venkat.divvela@act.gov.au>	act.gov.au>;
The Scheduling part is handled I	by my collegue (in CC).

I have a day of today and will have a close look on Monday.


- But indeed, with a list of new PIDs the DICOM migration can update these DICOM headers. That would solve the problem and was tested before, so that is OK. The sheet with Study UIDs and active Patient IDs (StudyUID_PatientID.xls) was provided for DICOM header update with the small sample extract provided for merge testing. Was this update implemented for this round of testing?
- In any case, where the merge would be send to EI and <u>not</u> to the Siemens PACS and the new PID is not somewhere on the provided lists, these will result in the double lines in EI as you can see from the last test. These types of studies will be reported on the migration 'Exception list' as 'migrated, failed validation'.

If EI can identify orders and procedures to be migrated against the right PID (in scenarios where the migrated data is still referencing the merged MRN), can't we do something similar to the DICOM header update too?

Is there a way for your code to check if the PID provided in the list (StudyUID_PatientID.xls) is active, if not, can your code not find the active PID for the same? I understand that this adds to the complexity of the code needed for DICOM update, but my understanding is that the system should have all the required information needed for the DICOM header update.

Could you please analyze if this is a possible option?

Kind Regards,



to the right MRN in the extracts and for you to associate the images to the right MRN using DICOM update while image migration.

Now, in this situation where the active MRN is merged once again to a different MRN through a live ADT message, the complexity is for you to identify the new active MRN for the update the DICOM image to the right Patient ID.

Let me know if there is a way of handling this in El. Happy to discuss this over the phone if needed.

Scheduling:

For the patient merges that were initiated before the patient data loaded into Scheduling, it seems like the merge message has not been actioned by scheduling as expected:

A search in scheduling for the merged MRN does not come up with any patient details (expected result is to see patient details with new active MRN).

But for patient merges initiated after the patient data loaded into Scheduling, the results are as expected (a search on the merged MRN, comes up with details with the new MRN)

Scheduling: No RIS data (procedure history) for any of the patients migrated in this batch.

Could you please look into the above?

Thanks,

Mobile : IDIS Data Migration Analyst - UCPH Digital Solutions Program Email: Email:
From: [mailto] Sent: Thursday, 5 July 2018 8:04 PM To: Divvela, Venkat (Health) < Venkat.Divvela@act.gov.au>; (Health) act.gov.au> Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; (Health) < Mandapati, Sirisha (Health) < Sirisha.Mandapati@act.gov.au>; (Health) < Subject: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Hi All,
I have now completed the following steps:
 Sending of the remaining HL7 data towards EI Sending the DICOM data towards EI
Overall status of the executed tasks today:
 3 ADT messages have not been send, because the patient was already present in EI All ORM/ORU messages have been send and validated All 50 DICOM studies have been send to EI, 8 studies have a validation error (see below)
HL7 migration + patient merge
I did a quick check on a random patient that was merged and the new patient seems to be showing up on the order. So that seems to work.
DICOM migration + patient merge
This is a bit unexpected to me, but if you merge patients, it doesn't seem to be happening in the Siemens PACS. Is that correct? or only the case during testing? Because, this will result in 2 lines in EI. The matching logic on DICOM will create a 'temp order' that needs to be manually fixed.
For example, if you search for accession number in El you will see this system. (If the PACS would have send with the new PID, this would be 1 line)
These are the affected StudyUIDs:
*
Kind Regards,

→ Not available: 6 th July → Holiday alert: July 27 th - August 15 th
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: Divvela, Venkat (Health) [mailto:Venkat.Divvela@act.gov.au] Sent: Thursday 5 July 2018 10:19
To: (Health) <
Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
I have completed the merges and please go ahead for the HL7 and DICOM data to be loaded. Please let us know once the loading is complete.
Thanks Venkat
From: (Health) Sent: Thursday, 5 July 2018 5:10 PM To: Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) < Divvela, Venkat. (Health) < Venkat. Divvela@act.gov.au>; Subject: RE: [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Thanks I have included Venkat (our Data Migration tester) in this email. Venkat will proceed with the patient merges now. He will write back to you when the merges are completed, giving you a go ahead for the HL7 and DICOM data to be loaded.
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program Email: act.gov.au
From: [mailto: Sent: Thursday, 5 July 2018 5:07 PM To: [mailto: Sent: Thursday, 5 July 2018 5:07 PM Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >; [Health] < [Health] < [act.gov.au >; [Mealth] < [AUS - ACT] Data extract for Patient Merge test [SEC=UNCLASSIFIED]
Hi All,
The patients have now been migrated to EI and Scheduling (over eidc1tstconnect:2333)

From the 14 patients:

11 ADT messages have actually been send