

## Beauty Therapy Infection Control

## **Inspection Form**

Licence Expiry Date:	File No:
Premises Business Name:	
Proprietor Name:	
Location Address:	
Inspection Conducted with:	
Health Officer:	Date:/ Time:
Purpose: Licence - Transfer - Refurbishment - Rout	ine - Complaint - Follow up
Inspection Summary Results 1	
Training: Are staff undertaking skin penetration adequately trained in infection control	Infection Control (safety): Are facilities provided for safe disposal / cleaning / disinfection / sterilisation of equipment.
	Are infection control procedures adequate?
Hygiene: Is the premises clean with an adequate waste disposal policy.	Premises Construction: Is the premises suitable constructed.
Scoring: 1 = adequate, 2 = not entirely adequate, 3	s = inadequate, 4 = critical
Reinspection date://	
V = Satisfactory $X = Unsatisfactory$ $C = Critical Control Control$	cal
Hand Washing	
	ent room / other
When – before and after	
Alcohol hand rub within expiry date	location treatment rooms/ other
<ul> <li>Single use soap dispenser/ reusable liquid s</li> <li>Paper towel/ single use cloth towel</li> </ul>	pap containers – appropriately cleaned
• raper tower, single use cloth tower	

Tuontu	mant rooms	
	ment rooms	
•	Appropriate floor covering	_
•	Appropriately cleaned between clients	
Waxin		
•	Clean wax pots	
•	Wax pots covered with lid	
•	Wearing gloves	
•	Disposable / metal spatulas	
•	No double dipping	
•	Sufficient number of metal spatulas	
•	Appropriate cleaning of metal spatulas	
•	Wax cartridges - single use cartridge / cartridge with removable head	
	Cartridge disposed of after each client / or single client use	
•	Appropriate cleaning of tweezers / scissors between clients	
Eyebr	ow/eyelash tinting	
•	Tint pots – single use/ reusable	
•	Applicators - single use/ reusable	
•	Cleaned appropriately	
Evelas	th extensions	
•	Appropriate technique	
•	Equipment cleaned appropriately	
Eyelas		
Lycius	Adhesive- aliquoted/tube/single use	
•	Rods and equipment cleaned appropriately	
•	Eyebrow lamination - aliquoted / tube / single use -applicators single use / reusable	
	Lyebrow lamination- anduoted / tube / single use -applicators single use / reusable	
Facials	<u> </u>	
• aciais	Pump containers/ jars/ tubes -appropriately dispensed	
•	Sponges/cloths used	
	. •	
•	Extractions – wearing gloves / tissue -sharps	
•	Gown/ wrap worn – changed each client -laundered appropriately	
•	Bedding changed between clients	
D.O	and the discountry and	
	rures / pedicures	
•	Files / buffers / foot paddles cleaned / disposed of after each client	
•	Blades used on feet yes/no single use	-
•	Foot spa / metal bowl / other	
•	Appropriate foot spa cleaning -pedicure water discarded appropriately	
•	Disinfectant used type	
	o Appropriate	
•	Appropriate cleaning of equipment used	
•	Disinfectant used on pedicure equipment type	
	<ul> <li>Appropriate</li> </ul>	
•	Cutting cuticles / pushing back	
•	Autoclave records -indicator -calibration & validation	

•	Paraffin treatment – single client use		
Electr	olysis		
•	Gloves worn		
•	Appropriate skin preparation		
•	Single use needles		
•	Needles disposed of at point of use in approved sharps container		
•	Needles within expiry date		
Cosmo	etic tattooing (T) BB Glow or Cosmetic skin needling (S)	Т	S
•	Single use sterile equipment used needle caps/ transmission shaft/ needles		
•	Eyebrow feathering/microblading:		
	<ul> <li>Disposable pen</li> </ul>		
•	Equipment within expiry date		
•	Appropriate set up procedures -aseptic technique		
•	Disposable ink pots		
•	Wearing gloves		
•	Skin preparation appropriate		
•	Topical anaesthetic provided by the client		
	<ul> <li>Anaesthetic supplied by operator 2-10% – inform Pharmaceutical Services</li> </ul>		
•	Aseptic application of anaesthetic cream		
•	Hyaluronic acid		
•	Appropriate cleaning of equipment / handpiece -lamps / barriers		
•	Mark up pen cleaning method ok		
•	After care instructions given		
Closed	d system piercing		
•	Set up appropriate		
•	Aseptic technique		
•	Appropriate cleaning -mark up pen		
•	After care information given		
Cosmo	etic teeth whitening		
•	Client led procedure with single use disposable trays		
•	Products contains 6% hydrogen peroxide or 18% carbamide peroxide or less		
	<ul> <li>If product contains higher percentage- inform Pharmaceutical Services</li> </ul>		
•	Activating light appropriately cleaned -eye protection cleaned		
	, ,		
Other	procedures IPL/ laser, LED lights, derma rollers, microdermabrasion/ HydraFacial,		
	aplaning, make up, tanning		
•	Handpieces appropriately cleaned		
•	Microdermabrasion heads/ distance gauges appropriately cleaned		
•	Eye protection appropriately cleaned		
•	Dermaplaning -skin preparation -gloves -single use blade		
•	Botox injections (see cosmetic skin form)	+	
•	LED light cleaned appropriately	+	
	O :	+	

Sharps	<b>5</b>	
•	Used/ not used	
•	No resheathing of needle	
•	Disposed of at point of use	
•	Appropriate sharps container	
•	Appropriate disposal of sharps container	
Sharps	s injury	
•	Explained/ understood	
•	Documented/ displayed	
Other		
•	Understand standard precautions	
•	Hep B Vaccination	
•	Understand contraindications	
Linen		
•	Changed after each client	
•	Washed on hot (>65°C)/ cooler wash with a sanitiser	
Enviro	nmental cleaning	
•	Appropriate cleaning	
•	Detergent used	
•	Treatment bed uncovered/ paper/ plastic/ towel/ linen	
•	Covering changed/ appropriately cleaned between clients	
•	Appropriate use of disinfectant	
•	Documented cleaning procedures	
Cleani	ng of equipment	
•	Where is equipment cleaned	
•	Double/ single bowl with basin	
•	Appropriately cleaned	
•	Detergent used	
•	Appropriate use of disinfectant	
	<ul> <li>Disinfectant used</li> </ul>	
Does t	he business offer a mobile service?	
0 111	. ,	
	tion of premises	
•	Satisfactory	
•	Issues	
Ara th	e Infection Control Code of Practice and Yes No	
	on Control Guidelines available for staff?	
meeti	on control editionics available for staff.	