

Calf Stretches

- Tight muscles can cause problems for many reasons and can change the way you move. Tight calf muscles can make you sore in the feet and legs. Different movements in the feet and legs can produce muscle imbalances and soreness.
- Tight calf muscles and Achilles tendons can cause reduced movement in the ankle.
- There are two muscles in the calf; they are the Gastrocnemius and the Soleus.

Gastrocnemius Stretch:




1. Lean against a wall with your hands at chest height and put one foot forward.
2. The back leg should be straight and the other leg bent. Make sure your feet are pointing forward and your heels are on the ground.
3. Slowly lean your body forward until you feel a comfortable stretch at the back of the straight leg (where the arrows indicate in the pictures).
4. Keep your feet straight ahead at all times.
5. Hold for 20-30 seconds.
6. Repeat with other foot. Frequency.....

Achilles Tendon and Soleus Stretch:



1. Similar to above but with back leg bent, you may wish to move both legs closer to the wall.
2. You should feel the stretch further down the leg, as indicated by the arrows in the pictures.
3. Keep your feet straight ahead at all times.
4. Hold for 20-30 seconds.
5. Repeat with other foot. Frequency.....

Seated Gastrocnemius Stretch with towel:



1. Whilst sitting on the floor or on the bed wrap a towel around the ball of one foot.
2. Gently pull your foot and toes towards you using the towel remembering to bend your arms at the elbows until you feel a mild stretch.
3. Hold for 20-30 seconds.
4. Repeat with other foot. Frequency.....

Accessibility

The ACT Government is committed to making its information, services, events and venues as accessible as possible.

If you have difficulty reading a standard printed document and would like to receive this publication in an alternative format such as large print, please phone 13 22 81 or email HealthACT@act.gov.au

If English is not your first language and you require the Translating and Interpreting Service (TIS), please call 13 14 50.

If you are Deaf, or have a speech or hearing impairment and need the teletypewriter service, please phone 13 36 77 and ask for 13 22 81.

For speak and listen users, please phone 1300 555 727 and ask for 13 22 81. For more information on these services visit <http://www.relayservice.com.au>

© Australian Capital Territory, Canberra, **March 2014**

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced by any process without written permission from the Territory Records Office, Community and Infrastructure Services, Territory and Municipal Services, ACT Government, GPO Box 158, Canberra City ACT 2601.

Enquiries about this publication should be directed to ACT Health Communications and Marketing Unit, GPO Box 825 Canberra City ACT 2601 or email: HealthACT@act.gov.au

www.health.act.gov.au | www.act.gov.au

Enquiries: Canberra 13ACT1 or 132281 |