

# Genital Warts

---

Genital warts are lumps on the skin caused by human papillomavirus (HPV), which is a sexually transmissible infection (STI).

## *What causes genital warts?*

Genital warts are caused by HPV, with different strains of the wart virus affecting various parts of the body. There are at least 100 types of HPV, and at least 40 types of them can infect the genitals. The types of HPV that cause most genital warts are not usually dangerous; however other types of HPV can lead to cancer of the cervix, penis or anus.

## *What are the symptoms of genital warts?*

Genital warts appear as small flesh coloured, dark or pale growths that occur on the vulva, in or around the vagina or anus, on the cervix, the penis, scrotum, groin or thigh. Sometimes people do not notice warts if they grow where they can't easily be seen or felt. Genital warts may cause other symptoms such as itching, pain or bleeding but usually they don't cause any symptoms.

## *How did I get genital warts?*

HPV is spread by direct skin-to-skin contact during vaginal or anal sex with someone who is infected with the virus. HPV can also be spread through oral sex, however this is less common. Warts can appear within several weeks or months after sexual contact with a person who has the virus, and you may not notice them for some time.

## *How are genital warts diagnosed?*

Warts are usually diagnosed by a health professional examining the skin. Sometimes they may be diagnosed from a small skin sample (called a biopsy) which is sent to a laboratory.

You should have a check-up for HPV if you:

- notice any unusual growths or bumps in your genital region;
- notice any unusual itching, pain or bleeding in your genitals and/or
- your sexual partner tells you that they have HPV.

## *What is the treatment for genital warts?*

There are several treatments available for genital warts including paints, creams, freezing treatments and sometimes surgical removal. The size, number and location of the warts, cost, convenience, side effects and patient choice all influence what treatment option your healthcare provider will recommend.

## *How can I reduce my risk of contracting genital warts?*

HPV is spread by skin-to-skin contact, so using condoms can reduce the risk of you getting or transmitting genital warts.

## *Can genital warts be prevented?*

Vaccines which provide protection against some strains of HPV are available in Australia through school-based programs or through your health care provider. Talk to your health care provider about vaccination.

Smoking increases the risk of developing genital warts if you have been exposed to HPV. Treatment can take longer and recurrences can be common in people who smoke. If you have genital warts and you are a smoker, you should consider quitting smoking.

### Accessibility

If you have difficulty reading a standard printed document and would like an alternative format, please phone 13 22 81.



If English is not your first language and you need the Translating and Interpreting Service (TIS), please call 13 14 50.

For further accessibility information, visit: [www.health.act.gov.au/accessibility](http://www.health.act.gov.au/accessibility)

[www.health.act.gov.au](http://www.health.act.gov.au) | Phone: 132281

© Australian Capital Territory, Canberra September 2017

### References

Melbourne Sexual Health Centre (2012) Human Papillomavirus and Genital Warts Factsheet.  
[www.mshc.org.au](http://www.mshc.org.au)

Carusi, D.A. (2015) Patient Information: Genital warts in women.  
<http://www.uptodate.com/contents/genital-warts-in-women-beyond-the-basics>