From: Barrett, Scott (Health) Sent: Wednesday, 3 October 2018 9:01 AM
To: (Health) < Ct: Pearce, Christopher (Health) < Christopher Pearce@act.gov.au >; Crossley, Nick < Nick.Crossley@act.gov.au > Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Hì Hì
Nothings changed on our side so all the details should still be valid. I'm not sure that my team were too heavily involved in establishing the Test connection, outside of providing AE titles, ports, IP addresses
Chris/Nick, was there any setup that occurred when establishing the connection to Test that needs to be replicated for pre prod?
Thanks
Scott
Scott Barrett Manager Direct Phone: 02 6174 8039 Direct Email: scott.barrett@act.gov.au Diagnostic Imaging Systems Diagnostic & Medication Systems Hub Phone: 02 6174 8750 Email: DSD.DIS@act.gov.au Technology Operations Branch Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT GPO Box 825, Canberra City ACT 2601 act.gov.au
From: (Health) Sent: Wednesday, 3 October 2018 8:10 AM To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au > Subject: FW: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Scott,
Is there anything your team needs to do so Agfa can access the Siemens PACS from pre-Prod? It all worked for the Test environment but I don't know what might have been done to set that up.
Phone: 02 6174 8768 Mobile: Email: Email: Future Capability & Governance Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, TCH, Garran ACT PO Box 11, Woden ACT 2606 www.act.gov.au
From: [mailto: Sent: Tuesday, 2 October 2018 11:42 PM To: Sampath, (Health) < act.gov.au>;
Hi All,
HL7 migration

DICOM migration

The remaining reports should be completed in +/- 1,5 hours.

Validation / DICOM updates

Today I managed to execute the full validation and prepare all the needed DICOM header updates. The data is now ready to start the DICOM migration towards El.

I do have a small amount of studies that didn't pass our validation and no updates are provided in the 'update excel files'. For these +/- 450 studies I will provide the details as soon as possible.

Migration startup / Connection testing

I tried to send some studies to the production system, but get a DICOM ERROR CO01 on all the tests (some randomly selected StudyUIDs below). Can someone have a look in the Siemens PACS if the AE Title(s) of EI have been created and the permissions are OK for the C-MOVE operations? (I would advise to create ACTIDIS_MIG and ACTIDIIS_PRIORS)

	Calling AE: Reot Level: Source Arch				
	Hostname:	147.212.128.97			84
	Port: AE Title:	PACSSDM	Echo	D.	
	Destination Hostname: Port:	10.24.1.10			
	AE Title:	ACTIDIS_MIG	Ech	ho	
				c001 Test to _MIG c001 Test to _MIG c001 Test to _MIG c001 Test to _PRIO	RS
Kind Regards,					
N http://www.agfahe http://blog.agfahe	V, ealthcare.com ealthcare.com				

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Sent: Monday 1 October 2018 8:30 To: Cc: (Health) < Arsavilli, Developer 2018 Arsavilli, Devel
Hi All,
Attached you can find the current HL7 migration status. As you can see the HL7 ORU migration is almost at 80%.
Today I'll be working on the DICOM verification (DICOM vs HL7) and hopefully start the DICOM migration for studies that don't need any DICOM header updates. (Starting with data from 2018)
Kind Regards,
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: Sent: Friday 28 September 2018 14:23 To: Cc: Cc: Cc: Co: Co: Co: Co: Co: Co: Co: Co: Co: Co
FYI,
The HL7 ORM migration was completed a few moment ago.
I can't get the DICOM migration started today (and I don't want to on a Friday evening), so I did start the HL7 ORU migration with a high amount of threads to get this going over the weekend.
Kind Regards,
nttp://www.agfahealthcare.com http://blog.agfahealthcare.com

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

Sent: Friday 28 September 2018 11:24 To:
Hi All,
Attached you can find the current migration status for the HL7 ORM migration. The migration is estimated to take another 10 hours to complete the HL7 ORM part. (After this the HL7 ORU and DICOM migration will be started)
(Health) Thx, I now have all the files on the AMT server.
Kind Regards,
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Thursday 27 September 2018 4:17 To:
Sent: Thursday 27 September 2018 4:17 To:
Sent: Thursday 27 September 2018 4:17 To:
Sent: Thursday 27 September 2018 4:17 To:

Hi All,

The migration is running again after the updates to the paths.

The remaining time for the HL7 ORM migration is currently estimated to take another 2,5 days to complete. Attached you can find the current migration status.

I'm still stuck on the last file that I need, PACS_Series.txt.

Can you zip that one also ? For some reason I can't most of the .txt files ...

The zip files copied very fast.

```
1 P:\Files for AGFA\
5.4% Older 549.0 m PACS_Series.txt
2018/09/26 18:58:10 ERROR 64 (0x00000040) Copying File P:\Files for AGFA\PACS_Series.txt
The specified network name is no longer available.
Waiting 30 seconds... Retrying...
0.9% Older 549.0 m PACS_Series.txt

Kind Regards,
```

NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com

R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From: | (Health) [mailto | act.gov.au]

Sent: Wednesday 26 September 2018 5:13

To: | (Health) | (Health) | (Health) | (Health) | (Arsavilli, Dev | (Dev.Arsavilli@act.gov.au);

Subject: RE: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi

Thank you for the update.

I have now compressed all the Image files that were 2GB or more in size. Let me know if you still have any issues. Regarding the attachments with an extra space in the filename, please remove the space and retry.

Thanks,



Subject: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDI [SEC=UNCLASSIFIED]

Hi All,

HL7 migration

All needed data is now ready on the AMT server and the HL7 ORM migration was started. Once it has been running for a while, I will be able to provide some better stats, but currently I can say we are sending +/- 10 HL7 messages per second. That would be 3 to 4 days to complete the HL7 ORM migration.

Some attachments already failed, but I believe it simply is an extra space in the filename (after VPROT). (Health) Can you confirm that I can just remove the space and retry these ORM's? (I have +/- 26.000 of these VPROT in the attachment extract, VTECH seems to have the same issue)

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1477089_7060216.pdf cannot be found.

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT 1497192 7093555.pdf cannot be found.

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1391902_6920855.pdf cannot be found.

DICOM migration

Kind Regards,

I can see all needed extracts on the provided share, but I don't seem to be able to copy the + 2GB 'image' files to the AMT server for import. The copy simply stops after a few seconds. Could someone try and zip these files ? Or can we think of another way to get them on the AMT folder: C:\Users\Administrator\Desktop\DICOM extracts\PROD

Kind Regards,
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels
Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: Sent: Monday 24 September 2018 13:11 To: (Health) < act.gov.au>;
To: act.gov.au>;
Cc:
Subject: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]
Thx
I'll start working on the import/validation of these files.

@ Can I start the ORM/ORU migration towards EI?
Are is there anything on interface level that we need to way for?

200
T T T T T T T T T T T T T T T T T T T
NV, http://www.aqfahealthcare.com http://blog.aqfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.aqfahealthcare.com/maildisclaimer
From: Sent: Monday 24 September 2018 10:51
Cc:
All files are now available at the share location: // Files for AGFA — This folder has all the HL7 and DICOM extract files. The Image file has been split into smaller yearly files from 2007 to 2018 // RIS/attachments — This folder has all the attachments (Scan, idocs and zSeg)
Also provided are some excel sheets with Patient merge DICOM header update details and PACS Exception details.
Thanks,
IDIS Data Migration Analyst - UCPH Digital Solutions Program Mobile :
From: [mailto] Sent: Monday, 24 September 2018 4:17 PM To: (Health) < act.gov.au > (Health) < (Health) < act.gov.au > (Health) < act.gov.au > (September 2018 4:17 PM) Arsavilli, Dev < Dev.Arsavilli@act.gov.au > (Dev.Arsavilli@act.gov.au > (Dev.Arsavil
Thx for the update,
This afternoon I'm in training, so it is possible that I have to pick this up tomorrow morning.
Kind Regards,
T
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: (Health) [mailto: act.gov.au] Sent: Monday 24 September 2018 7:01

Cc:
In regards to the HL7 and DICOM extracts to be delivered today, they are still being worked on. I am going through my final steps of verifying the data and exporting it to files. I should be done in a few more hours. I will keep you informed. I will let you know when all the files are available.
Thanks,
Mobile : Email: act.gov.au
From: (Health) Sent: Monday, 17 September 2018 1:57 PM To: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) < act.gov.au>; (Health) < act.gov.a
In regards to the below table, we are waiting on confirmation that the Archived ADT messages were all processed successfully, and that the live feeds from ACTPAS and EDIS are now being processed. We have not yet received any details on that task, including final processing statistics. Could you please follow up on that for us.
Additionally, we will not be able to deliver the RIS and PACS migration files today as scheduled, since Siemens have had problems processing the data at their end. We are expecting now that the earliest possible date for delivery from ACT Health to Agfa will be this Friday 21 September, though it is more likely to be CoB on Monday 24 Sept.
I have updated some of the table dates below to reflect actuals and adjusted expected dates.
Regards
Phone: 02 6174 8768 Mobile: Email: Email: Email: Email: Future Capability & Governance Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, TCH, Garran ACT PO Box 11, Woden ACT 2606 www.act.gov.au
From: Arsavilli, Dev Sent: Friday, 31 August 2018 11:08 AM To: Cc: (Health) < act.gov.au>; McKenzie, Theresa (Health) < Theresa.McKenzie@act.gov.au>; Cowey, Michael <michael.cowey@act.gov.au> Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]</michael.cowey@act.gov.au>

Apologies, I thought I sent this out after the meeting but realised that I did not sent it out.

My update to the events as discussed in the meeting 29/08/2018 4:30 - 5:10pm:

#	Task	Start Date	End Date	Resource
1	Archiving of ACTPAS messages	29/08/2018		Michael
2	PMI Data Extraction	29/08/2018	31/09/2018	
3	Start ACTPAS interface in IDISP Pre-prod	to fill-in		Agfa
4	Agfa Patient Load	04/09/2018	09/09/2018	Agfa
5	Re-play the archived ACTPAS messages	11/09/2018	14/09/2018??	Michael, Agfa
6	Start ACTPAS interface - ACTH	13/09/2018		Michael, Agfa
7	Agfa 20% RIS load	24/09/2018	28/09/2018	Agfa,
8	Image Migration of (first two years)	29/09/2018	19/10/2018	Agfa
9	Agfa 80% RIS load	29/09/2018	19/10/2018	Agfa
10	Image Migration of the rest	20/10/2018		Agfa

Please update task 3 and the following dates will depend on that.

I will update the rest in line with the schedule and will distribute another Runsheet.

Kind Regards, Dev Dev Arsavilli | Project Manager Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government 2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au [mailto Sent: Wednesday, 29 August 2018 10:54 AM To: Cowey, Michael < Michael.Cowey@act.gov.au >; Arsavilli, Dev < Dev.Arsavilli@act.gov.au > (Health) < (Health) < act.gov.au>; Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED] Hi Dev, I have added and to this communication. Kind Regards,



Out of office alert: Friday 10th August Wednesday 15th August 24th September to 5th October inclusive 5th to 7th November inclusive

http://www.agfahealthcare.com http://blog.agfahealthcare.com

From: Cowey, Michael [mailto:Michael.Cowey@act.gov.au]

Sent: Wednesday, 29 August 2018 10:39 AM To: Arsavilli, Dev <Dev.Arsavilli@act.gov.au>

			269
Cc: <		(Health) <	
(Health) <	act.gov.au>;	<	2
Subject: RE: ACTPAS/ EDIS co	nfiguration into production	to start for the data migra	tion for IDIS [SEC=UNCLASSIFIED]
Hi Dev,			
	A CONTRACTOR OF THE CONTRACTOR	5	e. I think you need to swap 4 and
5 over, we need to replay the	archived messages first, the	en connect up the live ACT	PAS interface.
Cheers,			
Michael			
From: Arsavilli, Dev			
Sent: Wednesday, 29 August 1	2018 10:34 AM		
To: Cowey, Michael < Michael	.Cowey@act.gov.au>		
Cc:	(Health) <		
< act.gov.a			
Subject: RE: ACTPAS/ EDIS con	nfiguration into production	to start for the data migrat	tion for IDIS [SEC=UNCLASSIFIED]

Hi Michael,

Ve are ready to start the PMI data extract today. Is the achieving is in place are does it require be manually started?

The events as per the current schedule:

#	Task	Start Date	End Date
1	Achieving of ACTPAS messages	29/08/2018	
2	PMI Data Extraction	29/08/2018	31/09/2018
3	Agfa Patient Load	03/09/2018	07/09/2018
4	Start ACTPAS interface in Pre-prod	10/09/2018	
5	Re-play the archived ACTPAS messages	10/09/2018	
6	Agfa 20% RIS load	17/09/2018	21/09/2018
7	Image Migration of (first two years)	22/09/2018	12/10/2018
8	Agfa 80% RIS load	22/09/2018	12/10/2018
9	Image Migration of the rest	13/10/2018	

All these activities will be one after the other except for 7 and 8.

, could you please confirm that item 5 happening after item 4 would not be an issue?

Kind Regards,

Dev

Dev Arsavilli | Project Manager

Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au

Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government

2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au

From: Cook, Sandra (Health)

Sent: Tuesday, 28 August 2018 2:11 PM

To: Cowey, Michael < Michael.Cowey@act.gov.au >

Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>

Subject: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS

Hi Michael,

Would you please activate the ACTPAS integration for IDIS into pre-production required for the data migration work? I have reviewed the processes we are proposing and am happy for this to move into pre-production so we can commence data migration.

Really appreciate it!

Kind Regards,

Sandra Cook | Director Future Capability & Governance

Phone: 02 6205 1451 | Mob.

Email: sandra.cook@act.gov.au

Future Capability & Governance | Digital Solutions Division| Health Directorate | ACT Government

Canberra Hospital, Garran ACT | PO Box 11, Woden ACT 2606 | act.gov.au

This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

Heland, Rebecca (Health)	
To:	(Health) /, 4 October 2018 12:44 PM (Health)
Subject: RE: [AUS	- ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Hi How is the PACS migration going, have the Thanks,	connection issues been resolved yet?
From: (Health) Sent: Wednesday 3 October 2018 11:24 To: (Health) Cc: (Health) Subject: FW: [AUS - ACT] HL7 and DICOM	1 migration status / questions [SEC=UNCLASSIFIED]
FYI.	
Phone: 02 6174 8768 Mobile: Email Email	Division Health Directorate ACT Government
From: (Health) Sent: Wednesday, 3 October 2018 10:23 All To: (Crossley Nick Chick Crossley@act gove	M au>; Barrett, Scott (Health) <scott.barrett@act.gov.au>; Pearce,</scott.barrett@act.gov.au>
Christopher (Health) < Christopher.Pearce@	
- 1	
From the below we were due to create two ACTIDIS_MIG and ACTIDIS_PRIORS, and will	Production AE Titles. From your email, do you need us to also create If they both have the same IP and port?
Thanks	
•	
Phone: 02 6174 8768 Mobile:	Division Health Directorate ACT Government
From: Pearce, Christopher (Health)	
Sent: Wednesday, 3 October 2018 9:59 AM	
To: (Health) <	Barrett, Scott (Health) < Scott.Barrett@act.gov.au >

	272
Cc: Crossley, Nick < Nick.Crossley@act.gov.au > Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]	
Hi	
We only have the following setup configured as this is all that has been requested to date:	
The Agfa DICOM Modality setup document specifies the following environments locally:	
X The support that the following the support to the	
<i>§</i>	
	1
Please advise which environment is to be used for Pre-prod and I can make the required entries in the PACS.	Siemens
Regards,	
Chris	
Chris Pearce PACS Administrator Direct Phone: 02 61747961 Direct Email: Christopher.Pearce@act.gov.au Diagnostic Imaging Systems Diagnostic & Medication Systems Hub Phone: 02 6174 8750 Email: DSD.DIS@act.gov.au	

Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

From: (Health)

Sent: Wednesday, 3 October 2018 9:19 AM

To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au>

Cc: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au >; Crossley, Nick < Nick.Crossley@act.gov.au >

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

It could be that we only know about the Prod PACS address? What has below for ACTIDIS MIG is different to the production PACS address:

Parameter Value		
HOST	actentdicom.act.gov.au	
AE Title	EIPROD	
IP	10.24.2.101	
PORT	104	

Do	we	need	to s	omew	here	specif	v:	10	.24	.1	.10	P
----	----	------	------	------	------	--------	----	----	-----	----	-----	---

IDIS Delivery Manager - UCH Digital Solutions Program Phone: 02 6174 8768 Mobile: Pederick@act.gov.au Future Capability & Governance Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, TCH, Garran ACT PO Box 11, Woden ACT 2606 www.act.gov.au
From: Barrett, Scott (Health) Sent: Wednesday, 3 October 2018 9:01 AM To: (Health) < (Health) < (Ct. Pearce, Christopher (Health) < (Christopher Pearce@act.gov.au) > (Ct. Pearce, Christopher (Health) < (Ct. Pearce) ACT HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Hi en
Nothings changed on our side so all the details should still be valid. I'm not sure that my team were too heavily nvolved in establishing the Test connection, outside of providing AE titles, ports, IP addresses
Chris/ was there any setup that occurred when establishing the connection to Test that needs to be replicated for pre prod?
Thanks
Scott
Scott Barrett Manager Direct Phone: 02 6174 8039 Direct Email: scott.barrett@act.gov.au Diagnostic Imaging Systems Diagnostic & Medication Systems Hub Phone: 02 6174 8750 Email: DSD.DIS@act.gov.au Technology Operations Branch Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT GPO Box 825, Canberra City ACT 2601 act.gov.au
From: (Health) Sent: Wednesday, 3 October 2018 8:10 AM To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au > Subject: FW: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Scott,
Is there anything your team needs to do so Agfa can access the Siemens PACS from pre-Prod? It all worked for the Test environment but I don't know what might have been done to set that up.
Phone: 02 6174 8768 Mobile: Pederick@act.gov.au Email: Pederick@act.gov.au Future Capability & Governance Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, TCH, Garran ACT PO Box 11, Woden ACT 2606 www.act.gov.au
From: [mailto: [mailto: Sent: Tuesday, 2 October 2018 11:42 PM]
To: (Health) < act.gov.au>;

Subject: [AUS - ACT] HL7 and DICOM migration status / questions

Hi All,

HL7 migration

The remaining reports should be completed in +/- 1,5 hours.

DICOM migration

Validation / DICOM updates

Today I managed to execute the full validation and prepare all the needed DICOM header updates. The **data is now ready** to start the DICOM migration towards El.


I do have a small amount of studies that didn't pass our validation and no updates are provided in the 'update excel files'. For these +/- 450 studies I will provide the details as soon as possible.

Migration startup / Connection testing

I tried to send some studies to the production system, but get a DICOM ERROR C001 on all the tests (some randomly selected StudyUIDs below). Can someone have a look in the Siemens PACS if the AE Title(s) of EI have been created and the permissions are OK for the C-MOVE operations?

(I would advise to create ACTIDIS_MIG and ACTIDIIS_PRIORS)

The state of the s	227	
		96
	1	
	c001	Test to _MIG
	c001	Test to _MIG
	c001	Test to _MIG
	c001	Test to PRIORS
	and the second s	



From: Sent: Friday 28 September 2018 14:23 To: (Health) < act.gov.au>; Arsavilli, Dev <Dev.Arsavilli@act.gov.au>; Subject: [AUS - ACT] HL7 migration status

FYI,

The HL7 ORM migration was completed a few moment ago.

I can't get the DICOM migration started today (and I don't want to on a Friday evening), so I did start the HL7 ORU migration with a high amount of threads to get this going over the weekend.

Kind Regards,

NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.aqfahealthcare.com/maildisclaimer
Sent: Friday 28 September 2018 11:24 To:
Hi All,
Attached you can find the current migration status for the HL7 ORM migration. The migration is estimated to take another 10 hours to complete the HL7 ORM part. (After this the HL7 ORU and DICOM migration will be started)
(Health) Thx, I now have all the files on the AMT server.
Kind Regards,
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From:
Thanks for the migration status.
The series file has also been compressed as requested.
Regards,
Mobile : Email: act.gov.au

Sent: Wednesday, 26 September 2018 7:00 PM To: (Health) < act.gov.au>;
Hi All,
The migration is running again after the updates to the paths. The remaining time for the HL7 ORM migration is currently estimated to take another 2,5 days to complete. Attached you can find the current migration status.
I'm still stuck on the last file that I need, PACS_Series.txt.
Can you zip that one also ? For some reason I can't most of the .txt files The zip files copied very fast.
And a second of the Analysis o
Kind Regards,
T
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: (Health) [mailto act.gov.au]
Sent: Wednesday 26 September 2018 5:13
To:
< <u>Dev.Arsavilli@act.gov.au</u> >; Subject: RE: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]
Hi Thank you for the update.
I have now compressed all the Image files that were 2GB or more in size. Let me know if you still have any issues. Regarding the attachments with an extra space in the filename, please remove the space and retry.
Thanks,
Mobile : act.gov.au

	278
From: [mailto:	
Sent: Tuesday, 25 September 2018 6:53 PM	
To:	
Cc: (Health) < A	rsavilli, Dev
Subject: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS	•
[SEC=UNCLASSIFIED]	
Hi All,	
HL7 migration	
nez majadon	
All needed data is now ready on the AMT server and the HL7 ORM migration was started.	
Once it has been running for a while, I will be able to provide some better stats, but currently I can say we are sending +/- 10 HL7 messages per second. That would be 3 to 4	
days to complete the HL7 ORM migration.	
Some attachments already failed, but I believe it simply is an extra space in the filename (after V	DPOT)
(Health) Can you confirm that I can just remove the space and retry these O	
(I have +/- 26.000 of these VPROT in the attachment extract, VTECH seems to have the same issu	
Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive docum	ents\VPROT
_1477089_7060216.pdf cannot be found.	
Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive docum- _1497192_7093555.pdf cannot be found.	ents\VPROT
Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents	ents\VPROT
_1391902_6920855.pdf cannot be found.	*
DICOM migration	
I can see all needed extracts on the provided share, but I don't seem to be able to copy the + 2GI 'image' files to the AMT server for import. The copy simply stops after a few seconds. Could	3
someone try and zip these files? Or can we think of another way to get them on the AMT folder:	
C:\Users\Administrator\Desktop\DICOM extracts\PROD	
Kind Regards,	×
	41.
http://www.aqfahealthcare.com	
http://blog	
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels	012356224
Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer	
From:	
Sent: Monday 24 September 2018 13:11	
То	
Cc: (Health) < A	savilli, Dev
<pre><dev.arsavilli@act.gov.au>;</dev.arsavilli@act.gov.au></pre>	

8

Subject: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS

[SEC=UNCLASSIFIED]

Thx
I'll start working on the import/validation of these files. Focus first on the HL7.
@ Can I start the ORM/ORU migration towards EI ? Are is there anything on interface level that we need to way for ?
Kind Regards,
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Monday 24 September 2018 10:51 To: Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]
All files are now available at the share location: // Files for AGFA – This folder has all the HL7 and DICOM extract files. The Image file has been split into smaller yearly files from 2007 to 2018 // RIS/attachments – This folder has all the attachments (Scan, idocs and zSeg)
Also provided are some excel sheets with Patient merge DICOM header update details and PACS Exception details.
Thanks,
Mobile : act.gov.au
From: [mailto] Sent: Monday, 24 September 2018 4:17 PM To: (Health) < act.gov.au> Cc: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]
Thx for the update,
This afternoon I'm in training, so it is possible that I have to pick this up tomorrow morning.
Kind Regards,

http://www. http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels
Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From:
In regards to the HL7 and DICOM extracts to be delivered today, they are still being worked on. I am going through my final steps of verifying the data and exporting it to files. I should be done in a few more hours. I will keep you informed. I will let you know when all the files are available.
Thanks,
Mobile : act.gov.au
From: Pederick, (Health) Sent: Monday, 17 September 2018 1:57 PM To: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>; (Health) < act.gov.au>; (Mealth) <
In regards to the below table, we are waiting on confirmation that the Archived ADT messages were all processed successfully, and that the live feeds from ACTPAS and EDIS are now being processed. We have not yet received any details on that task, including final processing statistics. Could you please follow up on that for us.
Additionally, we will not be able to deliver the RIS and PACS migration files today as scheduled, since Siemens have had problems processing the data at their end. We are expecting now that the earliest possible date for delivery from ACT Health to Agfa will be this Friday 21 September, though it is more likely to be CoB on Monday 24 Sept.

Phone: 02 6174 8768 | Mobile: | Email: | Email: | Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au

Regards

I have updated some of the table dates below to reflect actuals and adjusted expected dates.

Sent: F To: Cc: Cc:	Arsavilli, Dev riday, 31 August 2018 11:08 AM (Health) <act.gov.au>; McKenzie, Theresa (Health) <eel.cowey@act.gov.au> t: RE: ACTPAS/ EDIS configuration into production</eel.cowey@act.gov.au></act.gov.au>			
Hi				
	ies, I thought I sent this out after the meeting but date to the events as discussed in the meeting 29/			
#	Task	Start Date	End Date	Resource
1	Archiving of ACTPAS messages	29/08/2018		Michael
2	PMI Data Extraction	29/08/2018	31/09/2018	
3	Start ACTPAS interface in IDISP Pre-prod	to fill-in		Agfa
4	Agfa Patient Load	04/09/2018	09/09/2018	Agfa
5	Re-play the archived ACTPAS messages	11/09/2018	14/09/2018??	Michael, Agfa
6	Start ACTPAS interface - ACTH	13/09/2018		Michael, Agfa
7	Agfa 20% RIS load	24/09/2018	28/09/2018	Agfa,
8	Image Migration of (first two years)	29/09/2018	19/10/2018	Agfa
9	Agfa 80% RIS load	29/09/2018	19/10/2018	Agfa
10	Image Migration of the rest	20/10/2018		Agfa
will u	update task 3 and the following dates will depend odate the rest in line with the schedule and will dis egards,		neet.	

Jev Arsavilli | Project Manager Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government 2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au From: [mailto Sent: Wednesday, 29 August 2018 10:54 AM To: Cowey, Michael < Michael.Cowey@act.gov.au >; Arsavilli, Dev < Dev.Arsavilli@act.gov.au > (Health) < (Health) < act.gov.au>; Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED] Hi Dev, to this communication. I have added and Kind Regards,



Out of office alert: Friday 10th August Wednesday 15th August 24th September to 5th October inclusive 5th to 7th November inclusive

http://www.agfahealthcare.com http://blog.agfahealthcare.com

From: Cowey, Michael [mailto:Michael.Cowey@act.gov.au]

Sent: Wednesday, 29 August 2018 10:39 AM To: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>

Cc: (Health) < (Health) < (act.gov.au>;

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi Dev,

The archiving is a standard process that has been in place for years so no issue there. I think you need to swap 4 and 5 over, we need to replay the archived messages first, then connect up the live ACTPAS interface.

Cheers, Michael

From: Arsavilli, Dev

Sent: Wednesday, 29 August 2018 10:34 AM

To: Cowey, Michael < Michael.Cowey@act.gov.au>

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi Michael,

We are ready to start the PMI data extract today.

Is the achieving is in place are does it require be manually started?

The events as per the current schedule:

#	Task	Start Date	End Date
1	Achieving of ACTPAS messages	29/08/2018	9.09
2	PMI Data Extraction	29/08/2018	31/09/2018
3	Agfa Patient Load	03/09/2018	07/09/2018
4	Start ACTPAS interface in Pre-prod	10/09/2018	
5	Re-play the archived ACTPAS messages	10/09/2018	
6	Agfa 20% RIS load	17/09/2018	21/09/2018
7	Image Migration of (first two years)	22/09/2018	12/10/2018
8	Agfa 80% RIS load .	22/09/2018	12/10/2018
9	Image Migration of the rest	13/10/2018	

All these activities will be one after the other except for 7 and 8.

could you please confirm that item 5 happening after item 4 would not be an issue?

Kind Regards,

Dev

Dev Arsavilli | Project Manager

Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au

Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government

2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au

From: Cook, Sandra (Health)

Sent: Tuesday, 28 August 2018 2:11 PM

To: Cowey, Michael < Michael.Cowey@act.gov.au >

Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au >

Subject: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS

Hi Michael,

Would you please activate the ACTPAS integration for IDIS into pre-production required for the data migration work? I have reviewed the processes we are proposing and am happy for this to move into pre-production so we can commence data migration.

Really appreciate it!

Kind Regards,

Sandra Cook | Director Future Capability & Governance

Phone: 02 6205 1451 | Mob.

Email: sandra.cook@act.gov.au

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Canberra Hospital, Garran ACT | PO Box 11, Woden ACT 2606 | act.gov.au

This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

Heland, Rebecca (Health)	
From: Sent: To: Cc: Subject:	Wednesday, 3 October 2018 4:21 PM (Health) Crossley, Nick; Barrett, Scott (Health); Pearce, Christopher (Health); [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Hi	
	leed need the ACTIDIS_MIG and ACTIDIS_PRIORS to also. This will make sure that the migration traffic
The IP, port, are all the same.	
ind Regards,	
T	
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com	
IBAN Customer Account BE203751045	Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 592856 ING Belgium NV, B-1000 Brussels ner: http://www.agfahealthcare.com/maildisclaimer
Christopher (Health) < Christophe	8 2:23 @act.gov.au>; Barrett, Scott (Health) <scott.barrett@act.gov.au>; Pearce,</scott.barrett@act.gov.au>
	create two Production AE Titles. From your email, do you need us to also create RS, and will they both have the same IP and port?
Thanks	
Phone: 02 6174 8768 Mobile: Future Capability & Governance Digit	- UCH Digital Solutions Program Email:
From: Pearce, Christopher (Healt Sent: Wednesday, 3 October 202 To: (Health) < Cc: Crossley, Nick < Nick.Crossley Subject: RE: [AUS - ACT] HL7 and	18 9:59 AM Barrett, Scott (Health) < Scott.Barrett@act.gov.au >



We only have the following setup configured as this is all that has been requested to date:

· ·	1 10 10 10 10			
Development	eidc1devcs.act.gov.au	10.24.2.66 104	EIDEV	Afl DICOM

The Agfa DICOM Modality setup document specifies the following environments locally:

Environment	Hostname	IP address & Port	AE title	Function
Production	actentdicom.act.gov.au	10.24.1.10 104	ACTIDIS	All DICOM
Production	As above	As above	ACTIDIS_DMWL	Optional DMWL
Testing	eidc1tstcs.act.gov.au	10.24.2.46 104	EITEST	All DICOM
Testing	As above	As above	EITEST_DMWL	Optional DMWL
Training	eidc1trncs.act.gov.au	10.24.2.56 104	EITRAIN	All DICOM
Training	As above	As above	EITRAIN_DMWL	Optional DMWL
Development	eidc1devcs.act.gov.au	10.24.2.66 104	EIDEV	All DICOM
Development	As above	As above	EIDEV_DMWL	Optional DMWL

Please advise which environment is to be used for Pre-prod and I can make the required entries in the Siemens PACS.

Regards,

Chris

Chris Pearce | PACS Administrator

Direct Phone: 02 61747961 | Direct Email: Christopher,Pearce@act.gov.au

Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au

Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

From: (Health)

Sent: Wednesday, 3 October 2018 9:19 AM

To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au>

Cc: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au >; Crossley, Nick < Nick.Crossley@act.gov.au >

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

It could be that we only know about the Prod PACS address? What has below for ACTIDIS_MIG is different to the production PACS address:

Paramete	Parameter Value		
HOST	actentdicom.act.gov.au		
AE Title	EIPROD		
IP	10.24.2.101		
PORT	104		

Do we need to somewhere specify 10.24.1.10?

IDIS Delivery Manager - UCH Digital Solutions Program Phone: 02 6174 8768 Mobile: Email: Email: Email: Email: Future Capability & Governance Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, TCH, Garran ACT PO Box 11, Woden ACT 2606 www.act.gov.au
From: Barrett, Scott (Health) Sent: Wednesday, 3 October 2018 9:01 AM To: (Health) < (Ct. Pearce, Christopher (Health) < (Christopher.Pearce@act.gov.au); Crossley, Nick < (Nick.Crossley@act.gov.au) Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
Hi
Nothings changed on our side so all the details should still be valid. I'm not sure that my team were too heavily involved in establishing the Test connection, outside of providing AE titles, ports, IP addresses
Thris, was there any setup that occurred when establishing the connection to Test that needs to be replicated for pre prod?
Thanks
Scott
Scott Barrett Manager Direct Phone: 02 6174 8039 Direct Email: scott.barrett@act.gov.au Diagnostic Imaging Systems Diagnostic & Medication Systems Hub Phone: 02 6174 8750 Email: DSD.DIS@act.gov.au Technology Operations Branch Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT GPO Box 825, Canberra City ACT 2601 act.gov.au
From: (Health) Sent: Wednesday, 3 October 2018 8:10 AM To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au > Subject: FW: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]
cott,
Is there anything your team needs to do so Agfa can access the Siemens PACS from pre-Prod? It all worked for the Test environment but I don't know what might have been done to set that up.
IDIS Delivery Manager - UCH Digital Solutions Program Phone: 02 6174 8768 Mobile: Email: Future Capability & Governance Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, TCH, Garran ACT PO Box 11, Woden ACT 2606 www.act.gov.au
From: [mailto] Sent: Tuesday, 2 October 2018 11:42 PM To: (Health) < act.gov.au>;

Hi All,

HL7 migration

The remaining reports should be completed in +/- 1,5 hours.

DICOM migration

Validation / DICOM updates

Today I managed to execute the full validation and prepare all the needed DICOM header updates. The **data is now ready** to start the DICOM migration towards El.

I do have a small amount of studies that didn't pass our validation and no updates are provided in the 'update excel files'. For these +/- 450 studies I will provide the details as soon as possible.

Migration startup / Connection testing

I tried to send some studies to the production system, but get a DICOM ERROR C001 on all the tests (some randomly selected StudyUIDs below). Can someone have a look in the Siemens PACS if the AE Title(s) of EI have been created and the permissions are OK for the C-MOVE operations?

(I would advise to create ACTIDIS_MIG and ACTIDIIS_PRIORS)

Root Level: 5	study 🔻	
File system		
Hostname:	147.212.128.97	
Port:	2002	
AE Title:	PACSSDM	Echo
Destination Arc	chive —	
Hostname:	10.24.1.10	
Port:	104	
AE Title:	ACTIDIS_MIG	Echo
☐ FlexMedGa	te	

Kind Regards,

200
T
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Monday 1 October 2018 8:30 To:
Hi All,
Attached you can find the current HL7 migration status. s you can see the HL7 ORU migration is almost at 80%.
Today I'll be working on the DICOM verification (DICOM vs HL7) and hopefully start the DICOM migration for studies that don't need any DICOM header updates. (Starting with data from 2018)
Kind Regards,
T CONTROL OF THE CONT
http://www.aqfahealthcare.com http://blog.aqfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Friday 28 September 2018 14:23 To: Act.gov.au>; Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev "> Arsavilli, Dev

http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: Sent: Friday 28 September 2018 11:24 To: Cc: (Health) < Arsavilli, Dev <pre></pre>
Subject: [AUS - ACT] HL7 migration status
Hi All,
Attached you can find the current migration status for the HL7 ORM migration. The migration is estimated to take another 10 hours to complete the HL7 ORM part. (After this the HL7 ORU and DICOM migration will be started)
Thx, I now have all the files on the AMT server.
Kind Regards,
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
From: (Health) [mailto lact.gov.au]
Sent: Thursday 27 September 2018 4:17 To: September 2018 4:17
Cc: (Health) < Arsavilli, Dev < Dev.Arsavilli@act.gov.au>;
Hi Thanks for the migration status.
The series file has also been compressed as requested.
Regards,
Mobile : Email:act.gov.au
From: [mailto] Sent: Wednesday, 26 September 2018 7:00 PM
To: Cc: (Health) < Arsavilli, Dev

290 <Dev.Arsavilli@act.gov.au>; Subject: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED] Hi All, The migration is running again after the updates to the paths. The remaining time for the HL7 ORM migration is currently estimated to take another 2,5 days to complete. Attached you can find the current migration status. I'm still stuck on the last file that I need, PACS Series.txt. Can you zip that one also ? For some reason I can't most of the .txt files ... The zip files copied very fast. 549.0 m PACS_Series.txt 8/09/26 18:58:10 ERROR 64 (0x00000040) Copying File P:\Files for AGFA\PACS_Series.txt he specified network name is no longer available. Maiting 30 seconds... Retrying.. PACS_Series.txt Older Kind Regards, http://www.agfahealthcare.com http://blog.agfahealthcare.com R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer (Health) [mailto Sent: Wednesday 26 September 2018 5:13 To: (Health) < Arsavilli, Dev 'Dev.Arsavilli@act.gov.au>; subject: RE: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED] Thank you for the update. I have now compressed all the Image files that were 2GB or more in size. Let me know if you still have any issues. Regarding the attachments with an extra space in the filename, please remove the space and retry. Thanks,

Mobile: | | Email: | | act.gov.au |

From: | [mailto | |
Sent: Tuesday, 25 September 2018 6:53 PM

To: | (Health) < | act.gov.au >; | < |
Cc: | (Health) < | Arsavilli, Dev |
< Dev.Arsavilli@act.gov.au >; | < | |

Arsavilli, Dev |

| Control | Con

Subject: [AUS - ACT] ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi All,

HL7 migration

All needed data is now ready on the AMT server and the HL7 ORM migration was started. Once it has been running for a while, I will be able to provide some better stats, but currently I can say we are sending +/- 10 HL7 messages per second. That would be 3 to 4 days to complete the HL7 ORM migration.

Some attachments already failed, but I believe it simply is an extra space in the filename (after VPROT).

(Health) Can you confirm that I can just remove the space and retry these ORM's?

(I have +/- 26.000 of these VPROT in the attachment extract, VTECH seems to have the same issue)

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1477089_7060216.pdf cannot be found.


Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1497192_7093555.pdf cannot be found.

Attachment file \\eimigration01.act.gov.au\attachment data\$\Attachments\Interactive documents\VPROT _1391902 6920855.pdf cannot be found.

DICOM migration

I can see all needed extracts on the provided share, but I don't seem to be able to copy the + 2GB 'image' files to the AMT server for import. The copy simply stops after a few seconds. Could someone try and zip these files ? Or can we think of another way to get them on the AMT folder: C:\Users\Administrator\Desktop\DICOM extracts\PROD

Kind Regards,



Thx

I'll start working on the import/validation of these files. Focus first on the HL7.

@ Can I start the ORM/ORU migration towards EI?


Are is there anything on interface level that we need to way for ?

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels

Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer



Hi

All files are now available at the share location:

// Files for AGFA - This folder has all the HL7 and DICOM extract files. The Image file has been split into smaller yearly files from 2007 to 2018

// RIS/attachments – This folder has all the attachments (Scan, idocs and zSeg)

Also provided are some excel sheets with Patient merge DICOM header update details and PACS Exception details.

Thanks,



Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Thx for the update,

This afternoon I'm in training, so it is possible that I have to pick this up tomorrow morning.

Kind Regards,



R.O.: Septestraat 27, B-2640 Mortsel, Belgium | RLE Antwerp | VAT BE 0403.003.524 | IBAN Operational Account BE81363012356224 | IBAN Customer Account BE20375104592856 | ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer

From: (Health) [mailto act.gov.au] Sent: Monday 24 September 2018 7:01 To: (April 1988) 4 September 2018 7:01
Cc:
Hi In regards to the HL7 and DICOM extracts to be delivered today, they are still being worked on. I am going through my final steps of verifying the data and exporting it to files. I should be done in a few more hours. I will keep you informed. I will let you know when all the files are available.
Thanks,
Mobile : act.gov.au
From: (Health) Sent: Monday, 17 September 2018 1:57 PM To: Arsavilli, Dev < Dev.Arsavilli@act.gov.au>; (Health) <
In regards to the below table, we are waiting on confirmation that the Archived ADT messages were all processed successfully, and that the live feeds from ACTPAS and EDIS are now being processed. We have not yet received any details on that task, including final processing statistics. Could you please follow up on that for us.
Additionally, we will not be able to deliver the RIS and PACS migration files today as scheduled, since Siemens have had problems processing the data at their end. We are expecting now that the earliest possible date for delivery from ACT Health to Agfa will be this Friday 21 September, though it is more likely to be CoB on Monday 24 Sept.
I have updated some of the table dates below to reflect actuals and adjusted expected dates.
Regards
Phone: 02 6174 8768 Mobile: Email: Future Capability & Governance Digital Solutions Division Health Directorate ACT Government Level 10, Building 1, TCH, Garran ACT PO Box 11, Woden ACT 2606 www.act.gov.au
From: Arsavilli, Dev Sent: Friday, 31 August 2018 11:08 AM
To:
McKenzie Theresa (Health) < Theresa McKenzie @act gov aux: Cowey Michael

<Michael.Cowey@act.gov.au>

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]



Apologies, I thought I sent this out after the meeting but realised that I did not sent it out.

My update to the events as discussed in the meeting 29/08/2018 4:30 – 5:10pm:

#	Task	Start Date	End Date	Resource
1	Archiving of ACTPAS messages	29/08/2018		Michael
2	PMI Data Extraction	29/08/2018	31/09/2018	l l
3	Start ACTPAS interface in IDISP Pre-prod	to fill-in		Agfa
4	Agfa Patient Load	04/09/2018	09/09/2018	Agfa
5	Re-play the archived ACTPAS messages	11/09/2018	14/09/2018??	Michael, Agfa
6	Start ACTPAS interface - ACTH	13/09/2018		Michael, Agfa
7	Agfa 20% RIS load	24/09/2018	28/09/2018	Agfa,
8	Image Migration of (first two years)	29/09/2018	19/10/2018	Agfa
9	Agfa 80% RIS load	29/09/2018	19/10/2018	Agfa
10	Image Migration of the rest	20/10/2018		Agfa

Please update task 3 and the following dates will depend on that.

I will update the rest in line with the schedule and will distribute another Runsheet.

Kind Regards,


Dev

Dev Arsavilli | Project Manager

Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au

Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government

2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au



Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi Dev.

I have added and to this communication.

Kind Regards,



Out of office alert: Friday 10th August Wednesday 15th August 24th September to 5th October inclusive 5th to 7th November inclusive http://www.aqfahealthcare.com http://blog.aqfahealthcare.com

From: Cowey, Michael [mailto:Michael.Cowey@act.gov.au]

Sent: Wednesday, 29 August 2018 10:39 AM **To:** Arsavilli, Dev < Dev. Arsavilli@act.gov.au>

Cc: Nick (Health) < (Health) < (Health) <

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi Dev.

The archiving is a standard process that has been in place for years so no issue there. I think you need to swap 4 and 5 over, we need to replay the archived messages first, then connect up the live ACTPAS interface.

Cheers, Michael

From: Arsavilli, Dev

Sent: Wednesday, 29 August 2018 10:34 AM
To: Cowey, Michael < Michael. Cowey@act.gov.au>

Cc: (Health) < (Health) < (Health)

Subject: RE: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS [SEC=UNCLASSIFIED]

Hi Michael,

We are ready to start the PMI data extract today.

Is the achieving is in place are does it require be manually started?

The events as per the current schedule:

#	Task	Start Date	End Date
1	Achieving of ACTPAS messages	29/08/2018	
2	PMI Data Extraction	29/08/2018	31/09/2018
3	Agfa Patient Load	03/09/2018	07/09/2018
4	Start ACTPAS interface in Pre-prod	10/09/2018	
5	Re-play the archived ACTPAS messages	10/09/2018	
6	Agfa 20% RIS load	17/09/2018	21/09/2018
7	Image Migration of (first two years)	22/09/2018	12/10/2018
8	Agfa 80% RIS load	22/09/2018	12/10/2018
9	Image Migration of the rest	13/10/2018	

All these activities will be one after the other except for 7 and 8.

, could you please confirm that item 5 happening after item 4 would not be an issue?

Kind Regards,

Dev

Dev Arsavilli | Project Manager

Phone: 02 6174 8729 | Mobile | Email: Dev.Arsavilli@act.gov.au

Future Capability and Governance Branch | Digital Solutions Division | Health Directorate | ACT Government

2-6 Bowes Street, Phillip ACT | GPO Box 825, Canberra ACT 2601 | act.gov.au

From: Cook, Sandra (Health)

Sent: Tuesday, 28 August 2018 2:11 PM

To: Cowey, Michael < Michael.Cowey@act.gov.au >

Cc: Arsavilli, Dev < Dev. Arsavilli@act.gov.au>

Subject: ACTPAS/ EDIS configuration into production to start for the data migration for IDIS

Hi Michael,

Would you please activate the ACTPAS integration for IDIS into pre-production required for the data migration work? I have reviewed the processes we are proposing and am happy for this to move into pre-production so we can commence data migration.

Really appreciate it!

Kind Regards,

Sandra Cook | Director Future Capability & Governance

Phone: 02 6205 1451 | Mob.

Email: sandra.cook@act.gov.au

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Canberra Hospital, Garran ACT | PO Box 11, Woden ACT 2606 | act.gov.au

This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

13

Heland, Rebecca (Health)

From:

Pearce, Christopher (Health)

Sent:

Wednesday, 3 October 2018 9:59 AM

To:

(Health); Barrett, Scott (Health)

Cc:

Crossley, Nick

Subject:

RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]



We only have the following setup configured as this is all that has been requested to date:

g				
Development	eidc1devcs.act.gov.au	10.24.2.66 104	EIDEV	All DICOM

The Agfa DICOM Modality setup document specifies the following environments locally:

				1
Environment	Hostname	IP address & Port	AE title	Function
Production	actentdicom.act.gov.au	10.24.1.10 104	ACTIDIS	All DICOM
Production	As above	As above	ACTIDIS_DMWL	Optional DMWL
Testing	eidc1tstcs.act.gov.au	10.24.2.46 104	EITEST	All DICOM
Testing	As above	As above	EITEST_DMWL	Optional DMWL
Training	eidc1trncs.act.gov.au	10.24.2.56 104	EITRAIN	All DICOM
Training	As above	As above	EITRAIN_DMWL	Optional DMWL
Development	eidc1devcs.act.gov.au	10.24.2.66 104	EIDEV	All DICOM
Development	As above	As above	EIDEV_DMWL	Optional DMWL

Please advise which environment is to be used for Pre-prod and I can make the required entries in the Siemens PACS.

Regards,

Chris

Chris Pearce | PACS Administrator

Direct Phone: 02 61747961 | Direct Email: Christopher.Pearce@act.gov.au

Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au

Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government

Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au

From: (Health)

Sent: Wednesday, 3 October 2018 9:19 AM

To: Barrett, Scott (Health) <Scott.Barrett@act.gov.au>

Cc: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au>; Crossley, Nick < Nick.Crossley@act.gov.au>

Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED]

It could be that we only know about the Prod PACS address? What has below for ACTIDIS_MIG is different to the production PACS address:

Parameter Value

HOST	actentdicom.act.gov.au	
AE Title	EIPROD	
IP	10.24.2.101	
PORT	104	

Do we need to somewhere specify 10.24.1.10?

Phone: 02 6174 8768 | Mobile: | Email: Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au From: Barrett, Scott (Health) Sent: Wednesday, 3 October 2018 9:01 AM (Health) < Cc: Pearce, Christopher (Health) < Christopher.Pearce@act.gov.au>; Crossley, Nick < Nick.Crossley@act.gov.au> Subject: RE: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED] Nothings changed on our side so all the details should still be valid. I'm not sure that my team were too heavily involved in establishing the Test connection, outside of providing AE titles, ports, IP addresses Chris/Nick, was there any setup that occurred when establishing the connection to Test that needs to be replicated for pre prod? Thanks Scott Scott Barrett | Manager Direct Phone: 02 6174 8039 | Direct Email: scott.barrett@act.gov.au Diagnostic Imaging Systems | Diagnostic & Medication Systems Hub | Phone: 02 6174 8750 | Email: DSD.DIS@act.gov.au Technology Operations Branch | Digital Solutions Division | Health Directorate | ACT Government Level 10, Building 1, Canberra Hospital, Garran ACT | GPO Box 825, Canberra City ACT 2601 | act.gov.au From: (Health) Sent: Wednesday, 3 October 2018 8:10 AM To: Barrett, Scott (Health) < Scott.Barrett@act.gov.au> Subject: FW: [AUS - ACT] HL7 and DICOM migration status / questions [SEC=UNCLASSIFIED] Scott,

Is there anything your team needs to do so Agfa can access the Siemens PACS from pre-Prod? It all worked for the Test environment but I don't know what might have been done to set that up.

Phone: 02 6174 8768 | Mobile: | Email:

Future Capability & Governance | Digital Solutions Division | Health Directorate | ACT Government

Level 10, Building 1, TCH, Garran ACT | PO Box 11, Woden ACT 2606 | www.act.gov.au

From: Sent: Tuesday	[mailto] r, 2 October 2018 11:42 PM		
To:	(Health) <	act.gov.au>;	
Cc:	<	(Health) <	Arsavilli, Dev
<dev.arsavilli< td=""><td>@act.gov.au>;</td><td><</td><td><</td></dev.arsavilli<>	@act.gov.au>;	<	<
Subject: [AUS	- ACT] HL7 and DICOM mig	ration status / questions	
Hi All,			

HL7 migration

The remaining reports should be completed in ± 1.5 hours.

DICOM migration

Validation / DICOM updates

Today I managed to execute the full validation and prepare all the needed DICOM header updates. The **data is now ready** to start the DICOM migration towards El.


I do have a small amount of studies that didn't pass our validation and no updates are provided in the 'update excel files'. For these +/- 450 studies I will provide the details as soon as possible.

Migration startup / Connection testing

I tried to send some studies to the production system, but get a DICOM ERROR C001 on all the tests (some randomly selected StudyUIDs below). Can someone have a look in the Siemens PACS if the AE Title(s) of EI have been created and the permissions are OK for the C-MOVE operations?

(I would advise to create ACTIDIS_MIG and ACTIDIS_PRIORS)

	M⊤ tudy ▼	
Source Archive		
File system		
Hostname:	147.212.128.97	
Port:	2002	
AE Title:	PACSSDM	Echo
Destination Arc	hive —	
Hostname:	10.24.1.10	
Port:	104	
AE Title:	ACTIDIS_MIG	Echo
FlexMedGa	te	



The HL7 ORM migration was completed a few moment ago.

I can't get the DICOM migration started today (and I don't want to on a Friday evening), so I did start the HL7 ORU migration with a high amount of threads to get this going over the weekend.

Kind Regards,
NV, http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Friday 28 September 2018 11:24 To: (Health) < act.gov.au>;
Hi All,
Attached you can find the current migration status for the HL7 ORM migration. The migration is estimated to take another 10 hours to complete the HL7 ORM part. (After this the HL7 ORU and DICOM migration will be started)
@ (Health) Thx, I now have all the files on the AMT server.
Kind Regards,
http://www.agfahealthcare.com http://blog.agfahealthcare.com
R.O.: Septestraat 27, B-2640 Mortsel, Belgium RLE Antwerp VAT BE 0403.003.524 IBAN Operational Account BE81363012356224 IBAN Customer Account BE20375104592856 ING Belgium NV, B-1000 Brussels Click on link to read important disclaimer: http://www.agfahealthcare.com/maildisclaimer
Sent: Thursday 27 September 2018 4:17 To:

The series file has also been compressed as requested.

Thanks for the migration status.