

Acupuncture, Dry Needling and Hijama Infection Control Inspection Form

Licence Expiry Date:	File No:
Premises Business Name:	
Proprietor Name:	
Location Address:	
Inspection Conducted with:	
Health Officer:	Date:/ Time:
Purpose: Follow up - Licence - Refurbishment - Re	quest - Routine
Inspection Summary Results 1	
Training: Are staff undertaking skin penetration adequately trained in infection control	Infection Control (safety): Are facilities provided for safe disposal / cleaning / disinfection / sterilisation of equipment. Are infection control procedures adequate?
Hygiene: Is the premises clean with an adequate waste disposal policy.	Premises Construction: Is the premises suitable constructed.
Scoring: 1 = adequate, 2 = not entirely adequate, 3 = i	nadequate, 4 = critical
Reinspection date:/	
V = Satisfactory $X = Unsatisfactory$ $C = Critic$	cal
Hand Hygiene	
Basin location - treatment room/other	
When - before and after procedure	
Single use liquid soon dispenser / reusable of	dispensor appropriately sleaned

Within expiry date	
Paper towel / single use cloth towel	
Alcohol hand rub used treatment room / other	
Appropriately used	
Within expiry date	
Skin disinfection performed	
Product used	
Separate swab used for separate sites	
Needles	
Expiry date	
Single use	
Disposed of at point of use	
Appropriate sharps container	
Appropriate disposal of sharps container	
PPE	
Gloves - Worn: Inserting/removing/not worn	
Hijama-gloves, eye protection and gown required	
Changed between patients	
Dry Cupping -suction cups - Glass/plastic/bamboo	
Appropriately cleaned/ stored	
Bamboo cups single use	
Sharps injury procedure	
Explained / understood	
Documented / displayed	

Linen	
Cover changed after every client/cleaned appropriately	
Underlying linen changed regularly	
Washed in hot (>65°C) / cooler wash with a sanitiser	
Wet cupping/ Hijama procedure	
Single use puncture device lacet/needle/scalpel/razor	
Disposable or reprocessed cups (cleaned and sterilised)	
Adequate aseptic technique	
Suction equipment-single use or can be adequately reprocessed	
Medical waste company	
Spills kit	
Routine cleaning and disinfection of treatment bed and contaminated surfaces	5
Blood management appropriate	
After care advice issued	
What would they do if a client returned with a cut that was not healing as expected:	
 Suggest they see their GP / other- If the cut looked infected: GP / other- Comments: 	
Equipment cleaning and autoclaving (reusable Hijama cups)	
Appropriate cleaning method and product	
Appropriate records	
Class 6 indicators used/recorded	
Current calibration & validation reports sighted	
ACT Health autoclave information displayed	
	1

Mobile Service Kit- acupuncture and dry needling only	
Appropriate container	
Liquid soap / paper towel / alcohol hand rub	
Skin preparation product -	
• Gloves	
Needles - within expiry date	
Appropriate sharps container	
Rigid airtight container for used equipment eg cups	
Detergent based cleaning product and paper towel	
Plastic bags for rubbish/ waste	
Appropriate treatment table	
Used linen transport method ok	
Other	
Understanding of Standard Precautions	
Hep B Vaccination	
Floor covering: impervious in treatment room	
Paraffin treatment- appropriate	
Condition of premises	
Satisfactory / issues	
Ves No	

	162	INO
Are the Infection Control Code of Practice and		
Infection Control Guidelines available for staff?		