

Cosmetic Skin Clinic Infection Control

Inspection Form

Licence Expiry Date:	File No:
Premises Business Name:	
Proprietor Name:	
Location Address:	
Inspection Conducted with:	
Health Officer:	Date:/ Time:
Purpose: Licence - Transfer - Refurbishment – F	Routine – Complaint – Follow up
Inspection Summary Results 1	
Training: Are staff undertaking skin penetration adequately trained in infection control	Infection Control (safety): Are facilities provided for safe disposal / cleaning / disinfection / sterilisation of equipment. Are infection control procedures adequate?
Hygiene: Is the premises clean with an adequate waste disposal policy.	Premises Construction: Is the premises suitable constructed.
Scoring: 1 = adequate, 2 = not entirely adequa	ite, 3 = inadequate, 4 = critical
Reinspection date:// $V = Satisfactory \qquad X = Unsatisfactory \qquad C = Column C =$	ritical
Hand Washing	
 Location of hand washing sinks treatm 	nent room /other
When – before and after	
Alcohol hand gel expiry date trea	atment rooms/other
 Single use soap dispenser/ reusable liquid s cleaned 	oap containers – appropriately
Paper towel/ single use cloth towel	

Appropriate floor covering Appropriately cleaned between clients Medication Prescription Prescribed by a GP / Nurse Practitioner via Skype or similar Administered by GP / Nurse / Other Medication Storage Stored at the premises Transported by practitioner (how) Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours	Tuesta		
Appropriately cleaned between clients Medication Prescription Prescribed by a GP / Nurse Practitioner via Skype or similar Administered by GP / Nurse / Other Medication Storage Stored at the premises Transported by practitioner (how) Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%— inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique			
Medication Prescription Prescribed by a GP / Nurse Practitioner via Skype or similar Administered by GP / Nurse / Other Medication Storage Stored at the premises Transported by practitioner (how) Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client O Anaesthetic supplied by operator 2-10%—inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique			
Prescribed by a GP / Nurse Practitioner via Skype or similar Administered by GP / Nurse / Other Medication Storage Stored at the premises Transported by practitioner (how) Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client on Anaesthetic provided by operator 2-10%—inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	•	Appropriately cleaned between clients	
Prescribed by a GP / Nurse Practitioner via Skype or similar Administered by GP / Nurse / Other Medication Storage Stored at the premises Transported by practitioner (how) Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client on Anaesthetic provided by operator 2-10%—inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	Medica	ation Prescription	
Administered by GP / Nurse / Other Medication Storage Stored at the premises Transported by practitioner (how) Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline			
Medication Storage Stored at the premises Transported by practitioner (how) Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%—inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique		Trescribed by a Grant Natise Fractitioner via skype of similar	
Stored at the premises Transported by practitioner (how) Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%—inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	•	Administered by GP / Nurse / Other	
Stored at the premises Transported by practitioner (how) Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%—inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	Medica	ation Storage	
Fridge (cold chain/ temp recording) Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique			
Locked cupboard if not temperature sensitive Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client	•	Transported by practitioner (how)	
Who has access to fridge key? Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours	•	Fridge (cold chain/ temp recording)	
Medication dispensing technique Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%— inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	•		
Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%— inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	•	Who has access to fridge key?	
Performed at the business by staff or other practitioner Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%— inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	•		
Method appropriate Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%— inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	Medica		
Saline preserved saline (following manufacturers instructions) Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%— inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique			
Stored for <24 hours >24 hours (in accordance with manufacturers instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%— inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique			
instructions) Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10%— inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique		1 , ,	
Anaesthetic supplied by operator 2-10%— inform Pharmaceutical Services Aseptic application of anaesthetic cream After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	•	•	
After care instructions given Injectables Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	•	· · · · · · · · · · · · · · · · · · ·	
Injectables	•	Aseptic application of anaesthetic cream	
Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	•	After care instructions given	
Appropriate set up procedures Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique			
Wearing gloves aseptic technique Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique	Injecta		
 Skin preparation appropriate Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique 			
 Equipment within expiry date Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique 			
Mark up pen cleaning appropriate Mesotherapy (injectable handpiece/ manual) Skin preparation Gloves Aseptic technique			
Mesotherapy (injectable handpiece/ manual) • Skin preparation • Gloves • Aseptic technique			
 Skin preparation Gloves Aseptic technique 	•	iviark up pen cleaning appropriate	
 Skin preparation Gloves Aseptic technique 	Mesot	nerapy (injectable handpiece/ manual)	
Aseptic technique			
	•	Gloves	
Single use sterile syringe	•	Aseptic technique	
	•	Single use sterile syringe	

•	Removing blood after each injection	
•	Equipment within expiry dates	
•	Handpiece cleaned and disinfected appropriately	
PRP		
•	Method of drawing blood appropriate	
•	Anticoagulant blood collection tube for intended purpose (TGA approved)	
•	Labelled specimen with client identifiers	
•	Aseptic dispensing technique for injections	
•	Skin preparation	
•	Centrifuge cleaning appropriate	
•	Tourniquet cleaning	
•	Blood spill cleaning appropriate	
•	Disposal of sharps and clinical waste	
Thread	ls	
•	Skin preparation	
•	Single use Sterile equipment within expiry date	
•	Appropriate set up procedure	
•	Gloves aseptic technique	
•	Aseptic application of anaesthetic	
•	Mark up pen cleaning method	
•	How blood is cleaned?	
•	After care instructions provided	
IPL/ las	ser / Vein removal / Tattoo removal	
•	Cleaning distance gauges	
•	Handpiece and eye protection appropriately cleaned	
- . • •	described and	
Facials	, chemical peels	
•	Pump containers/ jars/ tubes / single use sachets -appropriately dispensed	
•	Sponges/cloths used	
•	% of chemical peels Prescription?	

Extractions		
Wearing gloves / tissue -sharps used / not used		
Gown/ wrap worn – changed each client -laundered appropriately		
LED		
Lights and eye protection cleaned appropriately		
Fractional RF		
Handpiece tips single use		
Microdermabrasion / hydro dermabrasion / hydrafacial / Body sculpting		
Dermabrasion heads and handpieces cleaned appropriately		
Cosmetic tattooing, BB glow (T) or Cosmetic skin needling (S)	Т	S
Single use sterile equipment used		
 Eyebrow feathering/microblading: Disposable pen Reusable pen UC/ appropriate detergent/autoclaved 		
Equipment within expiry date		
Appropriate set up procedures -aseptic technique gloves		
Disposable ink pots		
Serums dispensed and applied appropriately		
Skin preparation appropriate		
 Topical anaesthetic provided by the client Anaesthetic supplied by operator 2-10% – inform Pharmaceutical Services 		
Aseptic application of anaesthetic cream		
Hyaluronic acid		
 Appropriate cleaning of equipment / handpiece -lamps / barriers 		
Mark up pen cleaning method		
After care instructions given		
Teeth whitening		
Client led procedure with single use disposable trays		
 Products contains 6% hydrogen peroxide or 18% carbamide peroxide or less If product contains higher percentage- inform Pharmaceutical Services 		
Activating light appropriately cleaned -eye protection cleaned		

Derma	Dermaplaning	
•	Gloves	
•	Single use blade	
•	Handpiece cleaned appropriately	
Electro		
•	Gloves worn	
•	Appropriate skin preparation	
•	Single use needles	
•	Needles within expiry date	
Sharps	disposal and sharps injury	
•	Explained/understood	
•	Documented/displayed	
•	Disposed of at point of use	
•	Appropriate sharps container	
•	Appropriate disposal of sharps container	
Other		
•	Understand standard precautions	
•	Hep B Vaccination	
•	Understand contraindications	
Linen		
•	Changed after each client	
•	Washed on hot (>65°C) / cooler wash with a sanitiser	
Enviro	nmental cleaning	
•	Appropriate cleaning	
•	Detergent used	
•	Treatment bed uncovered/paper/plastic/towel/linen	
•	Covering changed / appropriately cleaned between clients	
•	Appropriate use of disinfectant	
•	Documented cleaning procedures	
Cleanii	ng of equipment	
•	Where is equipment cleaned	
•	Double/ single bowl with basin	
•	Appropriately cleaned	
•	Detergent used	
•	Appropriate use of disinfectant	
	Disinfectant used	
Does t	ne business offer a mobile service?	
		l .

Condition of premises	
Satisfactory	
• Issues	

Are the Infection Control Code of Practice and Yes No Infection Control Guidelines available for staff?